

引用文献

- Adams L, Chronos N, Lane R, Guz A (1985) The measurement of breathlessness induced in normal subjects: validity of two scaling techniques. *Clin Sci*, 69, 7-16.
- Alfaro V, Torras R, Prats MT, Palacios L and Ibanez J (1997) Improvement in exercise tolerance and spirometric values in stable COPD patients after an individualized outpatient rehabilitation programme. *Am J Respir Crit Care Med*, 155, 555-561.
- Alpert JS, Bass H, Szucs MM (1975) Effects of physical training on hemodynamics and pulmonary function at rest and during exercise in patients with chronic obstructive pulmonary disease. *Chest*, 66, 647-651.
- American Association of Cardiovascular and Pulmonary Rehabilitation (1997) Guidelines for Pulmonary Rehabilitation Programs, 2nd edition, pp. 51-69.
- American College of Sports Medicine (2000) ACSM's Guidelines for Exercise Testing and Prescription. Sixth edition. Lippincott, Williams & Wilkins: Baltimore, pp. 200-205.
- American Association of Cardiovascular and Pulmonary Rehabilitation Position Statement (1995) Clinical competency guidelines for pulmonary rehabilitation professionals. *J Cardpulm Rehabil*, 15, 173-178.
- American Thoracic Society. Pulmonary rehabilitation (1981) *Am. Rev. Respir. Dis.*, 124, 663-666.
- American Thoracic Society (1995) Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 152, S77-S120.
- Anthonisen NR (1995) Prognosis in chronic obstructive pulmonary disease. *Eur Respir Rev*, 31, 310.
- 青木主税 (1992) 施設内老人の日常生活自立度の推移と寝たきりの原因分析. *看護研究*, 25, 534-540.
- 荒尾 孝 (2000) 健康指標としての体力と QoL. *体育の科学*. 50, 854-858.
- Atkins CJ, Kaplan RM and Timms RM (1984) Reinsch S, Lofback K. Behavioral exercise programs in the management of chronic obstructive pulmonary disease. *J Consult Clin Psychol*, 52, 591-603.
- Baarends EM, Schols AM, Slebos DJ, Mostert R, Janssen PP and Wouters EF (1995) Metabolic and ventilatory response pattern to arm elevation in patients with COPD and healthy age-matched subjects. *Eur Respir J*, 8, 1345-1351.
- Badham C (1953) Observation on the inflammatory affection of the mucus membrane of the bronchiole. London 1808, cited by Oswald, N C *Lancet*, 639.
- Barach AL (1944) Principles and Practices of Inhalation Therapy. JB Lippincott, Philadelphia.
- Bauldoff GS, Hoffman LA, Sciruba F and Zullo TG (1996) Home-based, upper-arm exercise training for patients with chronic obstructive pulmonary disease. *Heart Lung*, 25, 288-294.

- Beaver WL, Wasserman K and Whipp BJ (1986) A new method for detecting anaerobic threshold by gas exchange. *J Appl Physiol*, 60, 2020-2027.
- Bebout DE, Hodgkin JE, Zorn EG, Yee AR and Sammer EA (1983) Clinical and physiological outcomes of a university-hospital pulmonary rehabilitation program. *Respir Care*, 28, 1468-1473.
- Beck AT (1979) *Cognitive therapy of depression* The Guilford Press, New York.
- Behnke M, Taube C, Kirsten D, Lehnigk B, Jorres RA and Magnussen H (2000) Home-based exercise is capable of preserving hospital-based improvements in severe chronic obstructive pulmonary disease. *Respir Med*, 94, 1184-1191.
- Belman MJ, Botnick WC, Nathan SD and Chon KH (1994) Ventilatory load characteristics during ventilatory muscle training. *Am J Respir Crit Care Med*, 149, 925-929.
- Belman MJ (1993) Exercise in patients with chronic obstructive pulmonary disease. *Thorax*, 48, 936-946.
- Belman MJ and Kendregan BA (1982) Physical training fails to improve ventilatory muscle endurance in patients with chronic obstructive pulmonary disease. *Chest*, 81, 440-443.
- Belman MJ and Mittman C (1980) Ventilatory muscle training improves exercise capacity in chronic obstructive pulmonary disease patients. *Am Rev Respir Dis*, 121, 273-280.
- Bendstrup KE, Jensen JI, Holm S and Bengtsson B (1997) Out-patient rehabilitation improves activities of daily living, quality of life and exercise tolerance in chronic obstructive pulmonary disease. *Eur Respir J*, 10, 2801-2806.
- Benzo R, Flume PA, Turner D and Tempest M (2000) Effect of pulmonary rehabilitation on quality of life in patients with COPD. the use of SF-36 summary scores as outcomes measures. *J Cardiopulm Rehabil*, 20, 231-234.
- Bernard S, Whittom F, Leblanc P, Jobin J, Belleau R, Berube C, Carrier G and Maltais F (1999) Aerobic and Strength training in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 159, 896-901.
- Bernard S, Whittom F, LeBlanc P, Jobin J, Berube C, Carrier G and Maltais F (1999) Aerobic and strength training in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 159, 896-901.
- Bijl D, Speelberg B and Folgering HT (1994) Pulmonary rehabilitation at moderate altitude; a 1-year follow-up. *Neth J Med*, 45, 154-161.
- Borg G (1970) Perceived exertion as an indicator of somatic stress. *Scand J Rehabil Med*, 2, 92-98.
- Brown HV and Wasserman K (1981) Exercise performance in chronic obstructive pulmonary diseases. *Med Clin North Am*, 65, 525-547.
- Brozek J, Grande F, Anderson JT and Keys A (1963) Densitometric analysis of body composition: revision of some quantitative assumptions. ed. *Ann. N Y Acad Sci*, 110,

113-140.

- Bruce AC (1989) Tests for fitness in older adults. *JOPERD*, 3, 66-71.
- Burdon JG, Juniper EF, Killian KJ, Hargreave FE and Campbell EJ (1982) The perception of breathlessness in asthma. *Am Rev Respir Dis*, 126, 825-828.
- Burrows JB, Niden AH, Fletcher CM and Jones NL (1964) Clinical type of chronic obstructive lung disease in London and Chicago. *Am Rev Respir Dis*, 90, 14-27.
- Busch AJ and McClements JD (1988) Effects of a supervised home exercise program on patients with severe chronic obstructive pulmonary disease. *Phys Therapy*, 68, 469.
- Cambach W, Chadwick-Straver RV, Wagenaar RC, van Keimpema AR and Kemper HC (1997) The effects of a community-based pulmonary rehabilitation programme on exercise tolerance and quality of life: a randomized controlled trial. *Eur Respir J.*, 10, 104-113.
- Campbell EJM, Cotes JE and Donald KW (1959) Terminology, definitions and classification of chronic pulmonary emphysema and related conditions. *Thorax*, 14, 286-299.
- Carlson DJ, Ries AL and Kaplan RM (1991) Prediction of maximum exercise tolerance in patients with COPD. *Chest*, 100, 307-311.
- Carrieri KV, Gormley JM, Douglas MK, Paul SM and Stulbarg MS (1996) Exercise training decreases dyspnea and the distress and anxiety associated with it. Monitoring alone may be as effective as coaching. *Chest*, 110, 1526-1535.
- Casaburi R (1992) Principles of exercise training. *Chest*, 101, 263s-267s.
- Casaburi R and Wasserman K (1986) Exercise training in pulmonary rehabilitation. *N Engl J Med*, 314, 1509-1511.
- Casaburi R (1993) Exercise training in Chronic Obstructive Lung Disease. In: *Principles and Practice of Pulmonary Rehabilitation* (edited by Casaburi R, Petty TL), WB Saunders Co, Philadelphia, pp. 204-224.
- Celli BR and Gill HS (1996) Respiratory muscle training. *Pulmonary Rehabilitation*. Marcel Dekker, Inc., pp. 523-525.
- Celli BR (1995) Pulmonary rehabilitation in patients with COPD. *Am J Respir Crit Care Med*, 152, 861-864.
- Celli BR (1994) The clinical use of upper extremity exercise. *Clin Chest Med*, 15, 339-349.
- Celli BR (1993) Arm and leg exercise training in pulmonary rehabilitation: *Pulmonary rehabilitation*. (ed by Hodgkin, Connors, and Bell). JB Lippincott, 2nd ed. Philadelphia.
- Celli BR (1986) Respiratory muscle function. *Clin Chest Med*, 7, 567-584.
- Chester EH, Belman MJ, Bahler RC, Baum GL, Schey G and Buch P (1977) Multidisciplinary treatment of chronic pulmonary insufficiency. 3. The effect of physical training on cardiopulmonary performance in patients with chronic obstructive pulmonary

- disease. *Chest* 72, 695-702.
- 蝶名林直彦. (1993) 谷本晋一編集. 呼吸器疾患の運動療法と運動負荷テスト, 第1版, 克誠堂出版株式会社, 東京. pp. 158-166.
- 蝶名林直彦, 青島正大, 土屋昌史, 江島正顕 (1997) 慢性呼吸器疾患. 総合リハビリテーション, 25, 123-129.
- Clark CJ, Cochrane L and Mackay E (1996) Low intensity peripheral muscle conditioning improves exercise tolerance and breathlessness in COPD. *Eur Respir J*, 9, 2590-2596.
- Clark CJ, Cochrane LM, Mackay E and Paton B (2000) Skeletal muscle strength and endurance in patients with mild COPD and the effects of weight training. *Eur Respir J* 15, 92-97.
- Cockcroft AE, Saunders MJ and Berry G (1981) Randomised controlled trial of rehabilitation in chronic respiratory disability. *Thorax*, 36, 200-203.
- Cooper KH (1968) A means of assessing maximal oxygen intake. Correlation between field and treadmill testing. *JAMA*, 203, 201-204.
- Cotes JE (1979) Lung function. Assessment and application in medicine. 4th ed. Oxford. Blackwell Scientific Publications, p. 102.
- Couser JI, Martinez FJ and Celli BR (1993) Pulmonary rehabilitation that includes arm exercise reduces metabolic and ventilatory requirements for simple arm elevation. *Chest*, 103, 37-41.
- Cox aNJM, Herwaarden CLA, Folgering H and Binkhorst RA (1988) Exercise training in patients with chronic obstructive lung disease. *Sports Med*, 6, 180-192.
- Dantzker DR and D'Alonzo GE (1986) The effect of exercise on pulmonary gas exchange in patients with severe chronic obstructive pulmonary disease. *Am Rev Respir Dis*, 134, 1135-1139.
- Denison C (1895) Exercise for Pulmonary Invalids. Denver.
- Devine EC and Percy J (1996) Meta-analysis of the effects of psychoeducational care in adults with chronic obstructive pulmonary disease. *Patient Educ Couns*, 29, 167-178.
- ERS-Consensus Statement (1995) Optimal assessment and management of chronic obstructive pulmonary disease. *Eur Respir J*, 8, 1398-1420.
- 江頭洋祐 (1992) 慢性呼吸器疾患患者の性格と心理. *呼吸と循環* 40, 734-741.
- 江頭洋祐 (1991) 慢性呼吸不全患者の心理状態. *The rapeutic Research*, 12, 53-60.
- Fishman AP (1994) Pulmonary rehabilitation reseach. *Am J Respir Crit Care Med*, 149, 825-833.
- Fletcher CM (1959) Chronic bronchitis. Its prevalence, nature and pathogenesis. *Am Rev Respir Dis*, 80, 483-494.
- Fletcher CM, Burrows JB and Niden AH (1964) American emphysema and British bronchitis. A standardized comparative study. *Am Rev Respir Dis*, 90, 1-13.

- 藤本繁夫, 栗原直嗣, 平田一人, 太田勝康, 松下晴彦, 若山公作, 西本勝夫, 金尾顕郎, 小林 茂, 大谷真由美, 辻 英次, 武田忠直 (1992) 肺気腫患者の総合体力と運動処方. 日胸疾会誌, 30, 1449-1457.
- Fukuhara S, Bito S, Green J, Hisano A and Kurokawa K (1998) Translation, adaptation, and validation of the SF-36 health survey for use in Japan. *J Clin Epidemiol*, 51, 1037-1044.
- Gerard JC and Celli BR (1988) Effect of unsupported arm exercise on ventilatory muscle recruitment in patients with severe chronic airflow obstruction. *Am Rev Respir Dis*, 138, 856-861.
- Gimenez M, Servera E, Vergara P, Bach JR and Polu JM (2000) Endurance training in patients with chronic obstructive pulmonary disease: a comparison of high versus moderate intensity. *Arch Phys Med Rehabil*, 81, 102-109.
- Gosselink R., Wagenaar RC and (1996) Decramer M. Reliability of a commercially available threshold loading device in healthy subjects and in patients with chronic obstructive pulmonary disease. *Thorax*, 51, 601-605.
- Grassino A (1989) Inspiratory muscle training in COPD patients. *Eur Respir J Suppl*, 7, 581s-586s.
- Gray-Donald K, Gibbons L, Shapiro SH, Macklem PT and Martin JG (1996) Nutritional status and mortality in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 153, 961-966.
- Guell R, Casan P, Belda J, Sangenis M, Morante F, Guyatt GH and Sanchis J (2000) Long-term effects of outpatient rehabilitation of COPD. *Chest*, 117, 976-983.
- Guideline for pulmonary rehabilitation program (1998) 2nd ed, American Association of cardiovascular and pulmonary rehabilitation. Promoting Health and Preventive Disease, Wisconsin.
- Guyatt GH, Berman LB and Townsend M (1987) Long-term outcome after respiratory rehabilitation. *CMAJ*, 137, 1089-1095.
- Guyatt GH, Berman LB, Townsend M, Pugsley SO and Chambers LW (1987) A measure of quality of life for clinical trials in chronic lung disease. *Thorax*, 42, 773-778.
- Haas F and Axen K (1991) Pulmonary Therapy and Rehabilitation. Principles and Practice. 2nd ed. Baltimore, Williams & Wilkins.
- Hanrahan JP, Sherman, CD and Bresnitz EA (1996) Cigarette smoking and health. *Am J Respir Crit Care Med*, 153, 861-865.
- Harver A, Mahler DA and Daubenspeck JA (1989) Target inspiratory muscle training improves respiratory muscle function and reduces dyspnea in patients with chronic obstructive pulmonary disease. *Ann Intern Med*, 111, 117-124.
- 平田一人, 岡本隆司, 白石 訓, 大塚敏広 (1999) 運動療法の意義と実際. 日本臨牀,

57, 2041-2045.

- Hodgkin JE (1988) Pulmonary rehabilitation: structure, components, and benefits. *J Cardpulm Rehabil*, 11, 423-434.
- Hogg JC, Macklem PT and Thurbeck WM (1968) Site and nature of airway obstruction in chronic obstructive lung disease. *N Engl J Med*, 278, 1355-1360.
- 星野克美 (1983) クオリティ・オブ・ライフをいかに理解するか. “クオリティ・ライフ” 都留重人他編. 弘文堂, 東京, pp. 119-142.
- Huber GL (1989) Physical, chemical and biologic properties of tobacco, cigarette smoke, and other tobacco products. *Semin Respir Med*, 10, 297-332.
- 井上雅樹, 大津 格, 萩谷政明, 富岡真一郎, 青木弘道, 角 昌晃, 本間敏明, 長谷川 鎮雄 (1996) 肺気腫症例に対する呼吸リハビリテーションの肺機能に及ぼす影響についての検討. *日胸疾会誌*, 34, 1182-1188.
- 石田 暉, 江藤文夫, 里宇明元 編集 (1999) *Journal of Clinical Rehabilitation* 別冊 呼吸リハビリテーション. 医歯薬出版株式会社, 東京, pp. 20-33.
- 石川兵衛 (1997) 健康づくりへのアプローチ. 第1版, 文光堂, 東京, 44-47.
- 伊東春樹, 谷口興一 編集 (1993) 呼気ガス分析法. 心肺運動負荷テスト—呼気ガス分析による心肺疾患の新しい見方—. 南江堂, 東京, pp. 106-125.
- 岩永千秋 (1996) 呼吸器疾患と運動療法. *呼吸と循環*, 44, 359-364.
- Johnson HR, Tanzi F and Balchum OJ (1980) Inpatient comprehensive pulmonary rehabilitation in severe COPD. *Respir Therapy*, May/June, 15-19.
- Jones NL, Jones G and Edwards RHT (1971) Exercise tolerance in chronic airway obstruction. *Am Rev Respir Dis*, 103: 477.
- 金森一紀, 大久保圭子 (1996) 慢性呼吸不全に対する肺理学療法の効果. *日胸疾会誌*, 34, 397-403.
- 金野公郎 (1981) 呼吸器疾患患者のリハビリテーション—呼吸筋機能を中心として. *呼吸と循環*, 29, 375.
- 川上義和, 別役智子 (1994) 喫煙と空気汚染物質—慢性閉塞性肺疾患 COPD の原因としての意義—. *THE LUNG perspectives*, 2, 364-371.
- 川根博司 (1996) 喫煙による呼吸機能障害. *検査と技術*, 24, 1139-1142.
- 木田厚瑞 (2001) 呼吸ケアのデザイン. 日本医事新報社, 東京, pp. 132-183.
- 木田厚瑞 (1998) 包括的呼吸リハビリテーション. —チーム医療のためのマニュアル—. メディカルレビュー社, 大阪, pp. 76-77.
- 菊池喜博 (1984) 呼吸筋力の指標. *呼吸*, 3, 1282-1288.
- Kim HS and Tanaka K (1995) The assessment of functional age using "activities of daily living" performance tests: A study of Korean women. *J Aging Phys Activ*, 3, 39-53.
- 金 禧植, 稲垣 敦, 田中喜代次 (1994) 高齢女性の日常生活における活動能力を評価するための簡易質問紙の作成. *体力科学*, 43, 175-184.

- 金 禧植, 松浦義行, 田中喜代次, 稲垣 敦 (1993) 高齢者の日常生活における活動能力の因子構造と評価のための組みテスト作成, 体育学研究, 38, 187-200.
- 古賀良平 (1991) 呼吸器疾患. 総合リハビリテーション, 19, 388-392.
- 厚生省・財団法人 健康・体力づくり事業財団 (2000) 地域における健康日本 2 1 実践の手引き, pp. 1-13.
- 厚生省大臣官房統計情報部編 (2000) 平成 10 年患者調査, 厚生統計協会.
- 厚生省大臣官房統計情報部編 (1998) 平成 8 年人口動態統計. 厚生統計協会.
- 厚生省大臣官房統計情報部編 (1999) 平成 9 年患者調査, 厚生統計協会.
- 厚生省編 (1993) 喫煙と呼吸器. 喫煙と健康—喫煙と健康問題に関する報告書第 2 版, 保健同人社, 109-123.
- Kraus H (1970) Interpretation of Functional Measurements. Clinical Treatment of Back and Neck Pain. McGraw-Hill Book Corp, New York, p. 48.
- Kurabayashi H, Machida I and Kubota K (1998) Improvement in ejection fraction by hydrotherapy as rehabilitation in patients with chronic pulmonary emphysema. Physiother Res Int, 3, 284-91.
- Kurihara N, Fujimoto S and Terakawa K (1990) Exercise performance and limiting factors in patients with chronic lung disease. Osaka City Med J, 36, 129-139.
- 栗原直嗣, 藤本繁夫 (1990) 慢性肺疾患と運動時の換気. 呼吸, 9, 287-292.
- 黒田善雄 (1978) 運動療法について. 阿部正和, 小野三嗣. 朝倉書店, 東京, p. 256.
- Lake FR, Henderson K, Briffa T, Openshaw J and Musk AW (1990) Upper-limb and lower-limb exercise training in patients with chronic airflow obstruction. Chest, 97, 1077-1082.
- Lareau SC, Carrieri-Kohlman V, Janson-Bjerklie S and Roos PJ (1994) Development and testing of the Pulmonary Functional Status and Dyspnea Questionnaire (PFSDQ). Heart Lung, 23, 242-250.
- Leith DE and Bradley M (1976) Ventilatory muscle strength and endurance training. J Appl Physiol, 41, 508-516.
- Levison H and Cherniak RM (1968) Ventilatory cost of exercise in chronic obstructive pulmonary disease. J Appl Physiol, 25, 21.
- Liang MH (1990) Chronic Rheumatic Disease. "Quality of Life Assessments in Clinical Trials" Spilker, B. ed. Raven Press, New York, pp. 441-456.
- Lopez AD and Murray CC (1998) Nature Med, 4, 1241.
- Lush MT, Janson-Bjerklie S, Carrieri VK and Lovejoy N (1988) Dyspnea in the ventilator-assisted patient. Heart Lung, 17, 528-535.
- Macklem PT (1972) Obstruction in small airways. A challenge to medicine. Am J Med, 52, 721-724.
- Macklem PT, Thurbeck WM and Fraser RG (1971) Chronic obstructive disease of small

- airways. *Ann. Int. Med*, 74, 167-177.
- Macklem PT (1980) Respiratory muscles, the vital pump. *Chest*, 78, 753.
- Mador MJ and Kufel TJ (1992) Reproducibility of visual analog scale measurements of dyspnea in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis*, 146, 82-87.
- Mahler DA, Weinberg DH, Wells CK and Feinstein AR (1984) The measurement of dyspnea. Contents, interobserver agreement, and physiologic correlates of two new clinical indexes. *Chest*, 85, 751-758.
- Mall RW and Medeiros M (1988) Objective evaluation of results of a pulmonary rehabilitation program in a community hospital. *Chest*, 94, 1156-1160.
- Maltais F, LeBlanc P, Jobin J, Berube C, Bruneau J, Carrier L, Breton MJ, Falardeau G and Belleau R (1996) Intensity of training and physiologic adaptation in patients with chronic obstructive pulmonary disease. *J Sports Med Phys Fitness*, 36, 195-203.
- McGavin CR, Artvinli M, Naoe H and McHardy GJ (1978) Dyspnoea, disability, and distance walked: comparison of estimates of exercise performance in respiratory disease. *Br Med J*, 22, 241-243.
- McGavin CR, Gupta SP, Lloyd EL and McHardy GJ (1977) Physical rehabilitation for the chronic bronchitic: results of a controlled trial of exercises in the home. *Thorax*, 32, 307-311.
- Medical Research Council (1965) Definition and classification of chronic bronchitis for clinical and epidemiological purpose. *Lancet*, 775-778.
- Mohsenifar Z, Horak D, Brown HV and Koerner SK (1983) Sensitive indices of improvement in a pulmonary rehabilitation program. *Chest*, 83, 189-192.
- Morrison DA, Adcock K, Collins CM, Goldman S, Caldwell JH and Schwarz MI (1987) Right ventricular dysfunction and the exercise limitation of chronic obstructive pulmonary disease. *J Am Coll Cardiol*, 9, 1219-29.
- Nagamine S and Suzuki S (1964) Anthropometry and body composition of Japanese young men and women. ed. *Human Biol*, 36, 8-15.
- 永田勝太郎 (1992) QoL—全人的医療がめざすもの. 講談社, 東京, p. 238.
- 永田勝太郎 (1990) バリント療法—全人的医療入門. 医歯薬出版, 東京, p.272.
- 中川 薫 (1995) クオリティ・オブ・ライフの意味するもの. 健康観の転換, 園田 恭一, 川田智恵子 編. 東京大学出版会, 東京, pp. 105-118.
- Nakamura E, Miyao K and Ozeki T (1988) Assessment of biological age by principal component analysis. *Mech. Ageing Dev*, 46, 1-18.
- 中村容一, 田中喜代次, 重松良祐, 井上雅樹, 本間敏明, 関澤清久 (2001) パフォーマンステストによる慢性閉塞性肺疾患 (COPD) 患者の身体活動能力の評価. *日呼吸会誌*, 39, 231-237.

- 中村容一, 田中喜代次, 重松良祐, 中垣内真樹, 井上雅樹, 蒲原一之, 本間敏明, 関澤清久 (2002a) 慢性閉塞性肺疾患 (COPD) 患者の老化度評価 — 活力年齢を指標として —. *Health Sciences*, 18, 107-114.
- 中村容一, 田中喜代次, 重松良祐, 中垣内真樹, 蒲原一之, 井上雅樹 (2002b) 体力の改善をねらいとした運動が慢性閉塞性肺疾患 (COPD) 患者の呼吸困難感および健康関連 QoL に及ぼす効果. *体力科学*, 51, 211-224.
- 中村隆一 (1983) 中枢神経疾患の作業療法. 医歯薬出版, 東京, pp. 9-16.
- Nakao M, Inoue Y and Murakami H (1989) Aging process of leg muscle endurance in males and females. *Eur J Appl Physiol*, 59, 209-214.
- 中田紘一郎, 坪井永保 (2000) 慢性閉塞性肺疾患と身体活動. *日本臨牀*, 58, 510-514.
- 成田亘啓, 夫 昭啓, 竹中英昭, 米田尚弘, 吉川雅則, 塚口勝彦, 徳山 猛, 岡本行功, 山本智生, 仲谷宗裕, 小林 厚, 川城丈夫, 金野公郎 (1996) 第 2 回呼吸不全患者全国栄養実態調査 — 予後因子解析の試み —, 平成 7 年度呼吸不全調査研究報告書, 100-105.
- Nicholas JJ, Gilbert R and Gabe R. (1970) Evaluation of an exercise therapy program for patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis*, 102, 1-9.
- Niedermaier MS, Clemente PH, Fein AM, Feinsilver SH, Robinson DA, Ilowite JS and Bernstein MG. (1991) Benefits of a multidisciplinary pulmonary rehabilitation program. Improvements are independent of lung function. *Chest*, 99, 798-804.
- 日本胸部疾患学会肺生理専門委員会 (1993) 日本人臨床肺機能検査指標基準値. *日胸疾会誌*, 31, 巻末.
- 日本呼吸器学会 COPD ガイドライン作成委員会 (1999) COPD (慢性閉塞性肺疾患) 診断と治療のためのガイドライン. メディカルレビュー社, 東京, pp. 51-55.
- 日本呼吸器学会 COPD ガイドライン作成委員会 (1999) COPD (慢性閉塞性肺疾患) 診断と治療のためのガイドライン. メディカルレビュー社, 東京, pp. 32-37.
- 日本呼吸器学会 COPD ガイドライン作成委員会編 (1999) 危険因子. COPD (慢性閉塞性肺疾患) 診断と治療のためのガイドライン. メディカルレビュー社, 東京, pp. 4-5.
- Nishimura K, Tsukino M and Hajiro T (1998) Health-related quality of life in patients with chronic obstructive pulmonary disease. *Curr Opin Pulm Med*, 4, 107-115.
- O'Donnell DE, McGuire M, Samis L and Webb KA (1998) General exercise training improves ventilatory and peripheral muscle strength and endurance in chronic airflow limitation. *Am J Respir Crit Care Med*, 157, 1489-1497.
- Official statement of the American thoracic society (1987) Dantzker DR. Chairman.

- Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease (COPD) and asthma. *Am Rev Respir Dis*, 136, 225-244.
- 種田行男 (1998) 高齢者の生活体力, 総合リハビリテーション, 26, 439-444.
- Orsos F (1907) *Über das elastische Gerüst der normalen und deremphysematösen Lung.* Beitr Pthol Anat, 41, 95-121.
- Owens GR, Rogers RM and Pennock BE (1984) The diffusing capacity as a predictor of arterial oxygen desaturation during exercise in patients with chronic obstructive pulmonary disease. *N Engl J Med*, 310, 1218-1221.
- Pardy RL, Reid WD and Belman MJ (1988) Respiratory muscle training. *Clin Chest Med*, 9, 287-296.
- Pardy RL, Rivington RN, Despas PJ and Macklem PT (1981) The effects of inspiratory muscle training on exercise performance in chronic airflow limitation. *Am Rev Respir Dis*, 123, 426-433.
- Petty TL, Nett LM, Finigan MM, Brink GA and Corsello PR (1969) A comprehensive care program for chronic airway obstruction. Methods and preliminary evaluation of symptomatic and functional improvement. *Ann Intern Med*, 70, 1109-1120.
- Petty TL (1993) Pulmonary rehabilitation. A personal historical perspective. In: *Principles and Practice of Pulmonary Rehabilitation* (Casaburi, R. & Petty, T. L. eds), WB Saunders, Philadelphia, pp.1-8.
- Pollock ML and Wilmore JH (1990) *Exercise in health and disease.* 2nd ed. WB Saunders. Philadelphia.
- Pulmonary rehabilitation-1999 (1999) American Thoracic Society. *Am J Respir Crit Care Med*, 159, 1666-1682.
- Pulmonary terms and symbols (1975) A report of the ACCP-ATS joint committee on pulmonary nomenclature. *Chest*, 67, 583-593.
- Punzal PA, Ries AL, Kaplan RM and Prewitt LM (1991) Maximum intensity exercise training in patients with chronic obstructive pulmonary disease. *Chest*, 100, 618-623.
- Rewick DS and Connolly MJ (1996) Prevalance and treatment of chronic airways obstruction in adults over the age of 45. *Thorax*, 51, 164-168.
- Ries AL and Moser KM (1986) Comparison of isocapnic hyperventilation and walking exercise training at home in pulmonary rehabilitation. *Chest*, 90: 285-289.
- Ries AL, Ellis B and Hawkins RW (1988) Upper extremity exercise training in chronic obstructive pulmonary disease. *Chest*, 93, 688-692.
- Ries AL, Kaplan RM, Limberg TM and Prewitt LM (1995) Effects of pulmonary rehabilitation on physiologic and psychosocial outcomes in patients with chronic obstructive pulmonary disease. *Ann Intern Med*, 122, 823-832.
- 里宇明元 (1988) 呼吸の評価. 現代リハビリテーション医学. 千野直一編. 金原出

- 版, 東京, 142-147.
- Rochester DF (1991) Respiratory muscle weakness, pattern of breathing, and CO₂ retention in chronic obstructive pulmonary disease. *Am Rev Respir Dis*, 143, 901-903.
- Sala E, Roca J, Marrades RM, Alonso J, Gonzalez De Suso JM, Moreno A, Barbera JA, Nadal J, de Jover L, Rodriguez-Roisin R and Wagner PD (1999) Effects of endurance training on skeletal muscle bioenergetics in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 159, 1726-34.
- 笹本 浩 (1970) 肺気腫の診断基準 (特集: 肺気腫) . 呼吸と循環, 18, p. 567.
- Scherer TA, Spengler CM, Owassapian D, Imhof E and Boutellier U (2000) Respiratory muscle endurance training in chronic obstructive pulmonary disease: impact on exercise capacity, dyspnea, and quality of life. *Am J Respir Crit Care Med*, 162, 1709-1714.
- Scherer YK and Schmieder LE (1997) The effect of a pulmonary rehabilitation program on self-efficacy, perception of dyspnea, and physical endurance. *Heart Lung*, 26, 15-22.
- Schols AM, Soeters PB, Dingemans AM, Mostert R, Frantzen PJ and Wouters EF (1993) Prevalence and characteristics of nutritional depletion in patients with stable COPD eligible for pulmonary rehabilitation. *Am Rev Respir Dis*, 147, 1151-1156.
- Schols AM, Soeters PB, Mostert R, Saris WH and Wouters EF (1991) Energy balance in chronic obstructive pulmonary disease. *Am Rev Respir Dis*, 143, 1248-1252.
- 関澤清久 (1998) 肺機能. *GERONTOLOGY*, 10, 263-269.
- Serres I, Gautier V, Varray A and Prefaut C (1998) Impaired skeletal muscle endurance related to physical inactivity and altered lung function in COPD patients. *Chest*, 113: 900-905.
- Serres I, Varray A, Vallet G, Micallef PJ and Prefaut C (1997) Improved skeletal muscle performance after individualized exercise training in patients with chronic obstructive pulmonary disease. *J Cardiopulm Rehabil.*, 17, 232-238.
- Shephard RJ (1987) Measuring activity in laboratory and field, exercise physiology. Tronto, B.C, Decker Inc, 9-19.
- Sherman CB (1992) The health consequences of cigarette smoking: pulmonary diseases. *Med Clin North Am*, 76, 355-375.
- Shigematsu R and Tanaka K (2000) Age scale for assessing functional fitness in older Japanese ambulatory women. *Aging Clin Exp Res*, 12, 256-263.
- 重松良祐, 中村容一, 中垣内真樹, 金 憲経, 田中喜代次 (2000) 高齢男性の日常生活に必要な身体機能を評価するテストバッテリーの作成, 体育学研究, 45: 225-238.
- Simpson K, Killian K, McCartney N, Stubbing DG and Jones NL (1992) Randomised controlled trial of weightlifting exercise in patients with chronic airflow limitation. *Thorax*, 47, 70-75.

- Sinclair DJ and Ingram CG (1980) Controlled trial of supervised exercise training in chronic bronchitis. *Br Med J*, 280, 519-521.
- Singh SJ, Smith DL, Hyland ME and Morgan MD (1998) A short outpatient pulmonary rehabilitation programme. Immediate and longer-term effects on exercise performance and quality of life. *Respir Med*, 92, 1146-1154.
- Snider GL (1989) Changes in COPD occurrence; chronic obstructive pulmonary disease. A definition and implication of structural determinants of airflow obstruction for epidemiology. *Am Rev Respir Dis*, 140, S3-S8.
- Snider GL, Kleinerman J and Thurlbeck WM (1985) The definition of emphysema. Report of a national heart, lung, and blood institute, division of lung disease workshop. *Am Rev Respir Dis*, 132, 182-185.
- Special edition of "Laennec R. T. H. A (1986) Treatise on the diseases of the chest. Translated 811. 7 by John Forbes T and Underwood G, London, 1821" 81-97, The classics of Cardiology Library.
- Spencer H (1985) Emphysema. "Pathology of the lung" Pergamon Press, Oxford, 557-594.
- Stratton JR, Levy WC, Cerqueira MD, Schwartz RS and Abrass IB (1994) Cardiovascular responses to exercise. Effects of aging and exercise training in healthy men. *Circulation*, 89, 1648-55.
- Strijbos JH, Postma DS, van Altena R, Gimeno F and Koeter GH (1996) Feasibility and effects of a home-care rehabilitation program in patients with chronic obstructive pulmonary disease. *J Cardiopulm Rehabil*, 16, 386-393.
- Strijbos JH, Postma DS, van Altena R, Gimeno F and Koeter GH (1996) A comparison between an outpatient hospital-based pulmonary rehabilitation program and a home-care pulmonary rehabilitation program in patients with COPD. A follow-up of 18 months. *Chest*, 109, 366-72.
- Stulbarg MS, Carrieri-Kohlman V, Demir-Deviren S, Nguyen HQ, Adams L, Tsang AH, Duda J, Gold WM, Paul S (2002) Exercise training improves outcomes of a dyspnea self-management program. *J Cardiopulm Rehabil*, 22, 109-21.
- 鈴木俊介, 永井厚志編著 (1996) 呼吸機能の臨床—検査法から症例検討まで—, 中外医学社, 東京, 158-169.
- 高田英臣, 村山正博 (1996) 運動処方箋作成の実際—心肺機能向上のためのポイント—, 治療, 78, 2337-2341.
- 高橋敬治, 長内和弘 (1990) 喫煙と肺機能. 呼吸と循環, 38, 17-25.
- 高松 一, 中原祥文, 平田俊幸, 奥成 聡, 木谷輝夫, 守田武志 (1997) 上肢 拳上運動を中心とした運動療法を施行し運動対容能の改善を認めた Hugh-Jones IV 度の慢性閉塞性肺疾患患者 (COPD) の 1 例. 臨床スポーツ医学, 14, 937-940.
- Tanaka K, Shigematsu R, Nakagaichi M, Kim H and Nobuo T (2000) The relationship

- between functional fitness and coronary heart disease risk factors in older Japanese adults. *J Aging Phys Activ*, 8, 162-174.
- Tanaka K, Takeda M, Hayakawa Y, Asano K, Matsuura Y, Watanabe Y and Hiyama T (1994) Aerobic exercise lowers biological age of patients with coronary heart disease or hypertension. In S. Harris H. Suominen P. Era and W Harris (Eds.), *Physical activity, aging and sports: Vol. III. Towards healthy aging—International perspectives: Part1. Physiological and biomedical aspects* (pp. 235-245). New York: Center for the Study of Aging.
- 田中喜代次, 中塘二三生, 竹島伸生, 中村栄太郎, 松浦義行 (1991a) 中年肥満女性の活力年齢の経年的変化. *体力研究*, 77, 73-81.
- 田中喜代次, 吉村隆喜, 前田如矢, 中塘二三生, 竹島伸生, 浅野勝己, 竹田正樹, 熊崎泰仁, 渡辺寛, 檜山輝男 (1991b) CHD 危険因子に基づく健康評価尺度としての成人女性の活力年齢の妥当性. *動脈硬化*, 19, 303-310.
- 田中喜代次, 渡辺寛, 檜山輝男, 竹田正樹, 吉村隆喜 (1992) 冠動脈硬化性心疾患患者の活力年齢および院内個別監視型運動療法の効果. *動脈硬化*, 20, 597-603.
- 田中喜代次 (1997) 高齢者の総合的 QoL 評価の必要性 — 体育科学の立場からみて —. *筑波大学体育科学系紀要*, 20, 29-39.
- 田中喜代次 (1993) 壮年者の老化度診断のための指数の作成. *数理体力学*, 松浦義行編, 朝倉書店, 東京, 76-83.
- 谷本晋一編集 (1993) 呼吸器疾患の運動療法と運動負荷テスト, 第 1 版, 克誠堂出版株式会社, 東京.
- Tobin MJ, Perez W and Guenther SM (1987) Does rib cage-abdominal paradox signify respiratory muscle fatigue? *J Appl Physiol*, 63, 851-860.
- 東京都立大学身体適性学研究室 (1989) 日本人の体力標準値第四版. 不味堂出版, 東京, 116-248.
- Toshima MT, Kaplan RM, Ries AL (1990) Experimental evaluation of rehabilitation in chronic obstructive pulmonary disease: short term effects on exercise endurance and health status. *Health Psychol*, 9, 237-252.
- Traver GA (1988) Measures of symptoms and life quality to predict emergent use of institutional health care resources in chronic obstructive airways disease. *Heart Lung*, 17, 689-697.
- Travis J (1989) Alpha1-proteinase inhibitor deficiency. In. M. Massaro, editor. *Lung Cell Biology*. Marcel Dekker, New York, 1227-1246.
- 坪井永保 (1998) 肺気腫患者に対する定量負荷による吸気筋訓練の長期効果に関する検討. *日本臨床生理学会雑誌*, 28, 45-52.
- 辻哲也, 里字明元 (1999) 呼吸リハビリテーションに必要な臨床評価. *呼吸リハビリテーション*, 石田暉, 江藤文夫, 里字明元編集, 医歯薬出版株式会社, 東京, pp.

36-47.

- WHO (1998) World Health Report.
- Ware JE Jr, Sherbourne CD (1992) The MOS 36-item short form health survey (SF-36): I. Conceptual framework and item selection. *Med Care*, 30, 473-483.
- Weaver TE, Narsavage GL (1992) Physiological and psychological variables related to functional status in chronic obstructive pulmonary disease. *Nurs Res*, 41, 286-291.
- Wedzicha GH, Bestall JC, Garrod R, Garnham R, Paul EA and Jones PW (1998) Randomized controlled trial of pulmonary rehabilitation in severe chronic obstructive pulmonary disease patients, stratified with the MRC dyspnoea scale. *Eur Respir J*, 12, 363-369.
- Wigal JK, Creer TL and Kotses H (1991) The COPD Self-Efficacy Scale. *Chest*, 99, 1193-1196.
- Wijkstra PJ, Van Altena R, Kraan J, Otten V, Postma DS and Koeter GH (1994) Quality of life in patients with chronic obstructive pulmonary disease improves after rehabilitation at home. *Eur Respir J*, 7, 269-273.
- Wijkstra PJ, van der Mark TW, Kraan J, van Altena R, Koeter GH and Postma DS (1996) Effects of home rehabilitation on physical performance in patients with chronic obstructive pulmonary disease (COPD). *Eur Respir J*, 9, 104-110.
- Wijkstra PJ, Ten Vergert EM, Van Altena R, Otten V, Kraan J, Postma DS and Koeter GH (1995) Long-term benefits of rehabilitation at home on quality of life and exercise tolerance in patients with chronic obstructive pulmonary disease. *Thorax*, 50, 824-828.
- Woolcock AJ, Mincent NJ and Thurbeck WM (1971) Frequency dependence of compliance as a test for obstruction in the small airways. *J Clin Invest*, 48, 1097-1106.
- World Health Organization (1980) International Classification of Impairments, Disabilities, and Handicaps. Geneva.
- 山田峰彦, 柿崎藤泰, 渋谷まさと, 中山秀章, 甘楽 裕, 田中一正, 鈴木 一, 本間生夫 (1996) 慢性閉塞性肺疾患患者における呼吸筋ストレッチ体操の4週間の臨床効果. *日胸疾会誌*, 34, 646-652.
- 山田拓実, 阿部 直 (2000) 呼吸筋と姿勢制御筋. *呼吸と循環*, 48, 231-239.
- 山崎裕司 (2000) 早期理学療法 — 筋力低下へのアプローチ —. *PT ジャーナル*, 34, 603-609.
- 財団法人 健康・体力づくり事業財団 (2000) 健康日本21. 21世紀における国民健康づくり運動について. 健康日本21企画検討会, 健康日本21計画策定検討会報告書, pp. 23-69.
- Zung WW, Richards CB and Short MJ (1965) Self-rating depression scale in an outpatient clinic. Further validation of the SDS. *Arch Gen Psychiatry*, 13, 508-515.