

REFERENCES

1. Chen Y, Rennie D, Lockinger L, Dosman J. Association between obesity and high blood pressure: Reporting bias related to gender and age. *Int J Obes* 1998; 22:771-777.
2. Masaki KH, Curb JD, Chiu D, Petrovitch H, Rodriguez BL. Association of body mass index with blood pressure in elderly Japanese American men. The Honolulu heart program. *Hypertension* 1997; 29:673-7.
3. Paccaud F, Schlüter-Fasmeyer V, Wiellisbach V, Bovet P. Dyslipidemia and abdominal obesity: an assessment in three general populations. *J Clin Epidemiol* 2000; 53:393-400.
4. Barakat HA, Carpenter JW, McLendon VD, et al. Influence of obesity, impaired glucose tolerance, and NIDDM on LDL structure and composition. *Diabetes* 1990; 39:1527-1533.
5. Tsugane C, Fahey MT, Sasaki S, Baba S. Alcohol consumption and all-cause and cancer mortality among middle-aged Japanese men: Seven-year follow-up of the JPHC study cohort I. *Am J Epidemiol* 1999; 150:1201-1207.
6. Lakka HM, Lakka TA, Tuomilehto J, Sivenius J, Salonen JT. Hyperinsulinemia and the risk of cardiovascular death and acute coronary and cerebrovascular events in men. *Arch Intern Med* 2000; 160:1160-1168.
7. Hall JE. Renal and cardiovascular mechanisms of hypertension in obesity. *Hypertension* 1994; 23:381-394.
8. DeFronzo RA, Goldberg M, Agus ZS. The effects of glucose and insulin on renal electrolyte transport. *J Clin Invest* 1976; 58:83-90.
9. Reaven GM, Lithell H, Landsberg L. Hypertension and associated metabolic abnormalities: The role of insulin resistance and the sympathoadrenal system. *N Engl J Med* 1996; 334:374-381.
10. Scherrer U, Sartori C. Insulin as a vascular and sympathoexcitatory hormone. Implications for blood pressure regulation, insulin sensitivity, and cardiovascular morbidity. *Circulation* 1997; 96:4104-4113.

11. Haynes WG, Sivitz WI, Morgan DA, Walsh SA, Mark AL. Sympathetic and cardiorenal actions of leptin. *Hypertension* 1997; 30:619-623.
12. Sacks FM. Dietary fats and blood pressure: a critical review of evidence. *Nutr Rev* 1989; 47:291-300.
13. Smith-Barbaro PA, Pucak GJ. Dietary fat and blood pressure. *Ann Int Med* 1983; 98:828-831.
14. Kotchen TA, Kotchen JM, Boegehold MA. Nutrition and hypertension prevention. *Hypertension* 1991; 18 (Suppl I):I115-I120.
15. Appel LJ, Moore TJ, Obarzanek E, et al. A clinical trial of the effects of dietary patterns on blood pressure. *N Engl J Med* 1997; 336:1117-1124.
16. Hall JE, Brands MW, Zappe DH, et al. Hemodynamic and renal responses to chronic hyperinsulinemia in obese, insulin-resistant dogs. *Hypertension* 1995; 25:994-1002.
17. Kaufman LN, Peterson MM, Smith SM. Hypertension and sympathetic hyperactivity induced in rats by high-fat or glucose diets. *Am J Physiol* 1991; 260:E95-E100.
18. Kaufman LN, Li H-Y, Peterson MM, Gilardy AK. Adrenal medulla as a mediator of diet-induced hypertension. *Am J Physiol* 1993; 265:R1-R6.
19. Kaufman LN, Peterson MM, Smith SM. Hypertensive effect of polyunsaturated dietary fat. *Metabolism* 1994; 43:1-3.
20. Rocchini AP, Marker P, Cervenka T. Time course of insulin resistance associated with feeding dogs a high-fat diet. *Am J Physiol* 1997; 272:E147-E154.
21. Barnard RJ, Faria DJ, Menges JE, Martin DA. Effects of a high-fat, sucrose diet on serum insulin and related atherosclerotic risk factors in rats. *Atherosclerosis* 1993; 100:229-236.
22. Bunag RD, Eriksson L, Krizsan D. Baroreceptor reflex impairment and mild hypertension in rats with dietary-induced obesity. *Hypertension* 1990; 15:397-406.
23. Wilde DW, Massey KD, Walker GK, Vollmer A, Grekin RJ. High-fat diet elevates blood pressure and cerebrovascular muscle Ca^{2+} current. *Hypertension* 2000;

- 35:832-837.
24. Bray GA. Obesity, a disorder of nutrient partitioning: The MONA LISA hypothesis. *J Nutr* 1991; 121:1146-1162.
 25. Koepke JP, DiBona GF. High sodium intake enhances renal nerve and antinatriuretic responses to stress in spontaneously hypertensive rats. *Hypertension* 1985; 7:357-363.
 26. Morgan DA, Anderson EA, Mark AL. Renal sympathetic nerve activity is increased in obese Zucker rats. *Hypertension* 1995; 25:834-838.
 27. DiBona GF. Neural control of renal function: Cardiovascular implications. *Hypertension* 1989; 13:539-548.
 28. Kassab S, Kato T, Wilkins FC, Chen R, Hall JE, Granger JP. Renal denervation attenuates the sodium retention and hypertension associated with obesity. *Hypertension* 1995; 25:893-897.
 29. Huang W-C, Fang T-C, Cheng J-T. Renal denervation prevents and reverses hyperinsulinemia-induced hypertension in rats. *Hypertension* 1998; 32:249-254.
 30. Sripairojthikoon W, Oparil S, Wyss JM. Renal nerve contribution to NaCl-exacerbated hypertension in spontaneously hypertensive rats. *Hypertension* 1989; 14:184-190.
 31. Wong PSK, Johns EJ. Effect of acute saline volume loading on renal sympathetic nerve activity in anaesthetised fructose-fed and fat-fed rats. *J Auton Nerv Syst* 1999; 75:60-69.
 32. Young JB, Daly PA, Uemura K, Chaouloff F. Effects of chronic lard feeding on sympathetic nervous system activity in the rat. *Am J Physiol* 1994; 267:R1320-R1328.
 33. Tomiyama H, Kushiro T, Abeta H, et al. Blood pressure response to hyperinsulinemia in salt-resistant rats. *Hypertension* 1992; 20:596-600.
 34. Meehan WP, Buchanan TA, Hsueh W. Chronic insulin administration elevates blood pressure in rats. *Hypertension* 1994; 23:1012-1017.
 35. Moreau P, Lamarche L, K.-Laflamme A, Calderone A, Yamaguchi N, Champlain Jd.

- Chronic hyperinsulinemia and hypertension: the role of the sympathetic nervous system. *J Hypertens* 1995; 13:333-340.
36. Edwards JG, Tipton CM. Influences of exogenous insulin on arterial blood pressure measurements of the rat. *J Appl Physiol* 1989; 67:2335-2342.
 37. Anderson EA, Hoffman RP, Balon TW, Sinkey CA, Mark AL. Hyperinsulinemia produces both sympathetic neural activation and vasodilation in normal humans. *J Clin Invest* 1991; 87:2246-2252.
 38. Natali A, Buzzigoli G, Taddei S, et al. Effects of insulin on hemodynamics and metabolism in human forearm. *Diabetes* 1990; 39:490-500.
 39. Baron AD, Steinberg H, Brechtel G, Johnson A. Skeletal muscle blood flow independently modulates insulin-mediated glucose uptake. *Am J Physiol* 1994; 266:E248-E253.
 40. Gans ROB, Bilo HJG, Nauta JJP, Heine RJ, Donker AJM. Acute hyperinsulinemia induces sodium retention and a blood pressure decline in diabetes mellitus. *Hypertension* 1992; 20:199-209.
 41. Koopmans SJ, Ohman L, Haywood JR, Mandarino LJ, DeFronzo RA. Seven days of euglycemic hyperinsulinemia induces insulin resistance for glucose metabolism but not hypertension, elevated catecholamine levels, or increased sodium retention in conscious normal rats. *diabetes* 1997; 46:1572-1578.
 42. Hall JE, Brands MW, Kivlighn SD, Mizelle HL, Hildebrandt DA, Gaillard CA. Chronic hyperinsulinemia and blood pressure. Interaction with catecholamines? *Hypertension* 1990; 15:519-527.
 43. O'Hare JA, Minaker KL, Meneilly GS, Rowe JW, Pallotta JA, Young JB. Effect of insulin on plasma norepinephrine and 3,4-dihydroxyphenylalanine in obese men. *Metabolism* 1989; 38:322-329.
 44. Einhorn D, Young JB, Landsberg L. Hypotensive effect of fasting: Possible involvement of the sympathetic nervous system and endogenous opiates. *Science* 1982; 217:727-729.
 45. Havel PJ, Valverde C. Autonomic mediation of glucagon secretion during insulin-

- induced hypoglycemia in rhesus monkeys. *Diabetes* 1996; 45:960-966.
46. Baron AD. Hemodynamics actions of insulin. *Am J Physiol* 1994; 267:E187-E202.
 47. Rattigan S, Clark MG, Barrett EJ. Hemodynamic actions of insulin in rat skeletal muscle: Evidence for capillary recruitment. *Diabetes* 1997; 46:1381-1388.
 48. Qadir E, Porter JP. Effect of insulin on regional vascular resistances in conscious rats. *Am J Physiol* 1996; 270:R450-R455.
 49. Renaudin C, Michoud E, Rapin JR, Lagarde M, Wiernsperger N. Hyperglycaemia modifies the reaction of microvessels to insulin in rat skeletal muscle. *Diabetologia* 1998; 41:26-33.
 50. Hickner RC, Ungerstedt U, Henriksson J. Regulation of skeletal muscle blood flow during acute insulin-induced hypoglycemia in the rat. *Diabetes* 1994; 43:1340-1344.
 51. Porter JP, Joshua IG, Kabithe D, Bokil HS. Vasodilator effect of insulin on the microcirculation of the rat cremaster muscle. *Life Sciences* 1997; 61:673-684.
 52. McKay MK, Hester RL. Role of nitric oxide, adenosine, and ATP-sensitive potassium channels in insulin-induced vasodilation. *Hypertension* 1996; 28:202-208.
 53. Chen Y-L, Messina EJ. Dilation of isolated skeletal muscle arterioles by insulin is endothelium dependent and nitric oxide mediated. *Am J Physiol* 1996; 270:H2120-H2124.
 54. Shimosawa T, Ando K, Ono A, et al. Insulin inhibits norepinephrine overflow from peripheral sympathetic nerve ending. *Biochem Biophys Res Commun* 1992; 188:330-335.
 55. Shimosawa T, Ando K, Fujita T. Effect of insulin on norepinephrine overflow at peripheral sympathetic nerve endings in young spontaneously hypertensive rats. *Am J Hypertens* 1996; 9:1119-1125.
 56. Meneilly GS, Elliot T, Bryer-Ash M, Floras JS. Insulin-mediated increase in blood flow is impaired in the elderly. *J Clin Endocrinol Metab* 1995; 80:1899-1903.
 57. Baron AD, Laakso M, Brechtel G, Edelman SV. Mechanism of insulin resistance in

- insulin-dependent diabetes mellitus: A major role for reduced skeletal muscle blood flow. *J Clin Endocrinol Metab* 1991; 73:637-643.
58. Laine H, Knuuti MJ, Ruotsalainen U, et al. Insulin resistance in essential hypertension is characterized by impaired insulin stimulation of blood flow in skeletal muscle. *J Hypertens* 1998; 16:211-219.
59. Baron AD. The coupling of glucose metabolism and perfusion in human skeletal muscle: The potential role of endothelium-derived nitric oxide. *Diabetes* 1996; 45 (Suppl 1):S105-S109.
60. Zeng G, Quon MJ. Insulin-stimulated production of nitric oxide is inhibited by wortmannin. Direct measurement in vascular endothelial cells. *J Clin Invest* 1996; 98:894-898.
61. Bertuglia S, Colantuoni A. Insulin-induced arteriolar dilation after tyrosine kinase and nitric oxide synthase inhibition in hamster cheek pouch microcirculation. *J Vasc Res* 1998; 35:250-256.
62. Young ME, Leighton B. Evidence for altered sensitivity of the nitric oxide/cGMP signalling cascade in insulin-resistant skeletal muscle. *Biochem J* 1998; 329:73-79.
63. Baron AD, Brechtel-Hook G, Johnson A, Hardin D. Skeletal muscle blood flow: a possible link between insulin resistance and blood pressure. *Hypertension* 1993; 21:129-135.
64. Maegawa H, Kobayashi M, Ishibashi O, Takata Y, Shigeta Y. Effect of diet change in insulin action: difference between muscles and adipocytes. *Am J Physiol* 1986; 251:E616-E623.
65. Grunlieger ML, Thenen SW. Decreased insulin binding, glucose transport, and glucose metabolism in soleus muscle of rats fed a high fat diet. *Diabetes* 1982; 31:232-237.
66. Suter PM, Locher R, Hässler E, vetter W. Is there a role for the ob gene product leptin in essential hypertension? *Am J Hypertens* 1998; 11:1305-1311.
67. Casto RM, VanNess JM, Overton JM. Effects of central leptin administration on blood pressure in normotensive rats. *Neurosci Lett* 1998; 246:29-32.

68. Shek EW, Brands MW, Hall JE. Chronic leptin infusion increases arterial pressure. *Hypertension* 1998; 31:409-414.
69. Aizawa-Abe M, Ogawa Y, Masuzaki H, et al. Pathophysiological role of leptin in obesity-related hypertension. *J Clin Invest* 2000; 105:1243-1252.
70. Satoh N, Ogawa Y, Katsuura G, et al. Sympathetic activation of leptin via the ventromedial hypothalamus. Leptin-induced increase in catecholamine secretion. *Diabetes* 1999; 48:1787-1793.
71. Tang-christensen M, Havel PJ, Jacobs RR, Larsen PJ, Cameron JL. Central administration of leptin inhibits food intake and activates the sympathetic nervous system in rhesus macaques. *J Clin Endocrinol Metab* 1999; 84:711-717.
72. Villarreal D, Reams G, Freeman RH, Taraben A. Renal effects of leptin in normotensive, hypertensive, and obese rats. *Am J Physiol* 1998; 275:R2056-R2060.
73. Banks WA, Kastin AJ, Huang W, Jaspan JB, Maness LM. Leptin enters the brain by a saturable system independent of insulin. *Peptides* 1996; 17:305-11.
74. Golden PL, Maccagnan TJ, Pardridge WM. Human blood-brain barrier leptin receptor. Binding and endocytosis in isolated human brain microvessels. *J Clin Invest* 1997; 99:14-18.
75. White BD, Martin RJ. Evidence for a central mechanism of obesity in the Zucker rat: Role of neuropeptide Y and leptin. *Proc Soc Exp Biol Med* 1997; 214:222-232.
76. Dunbar JC, Hu Y, Lu H. Intracerebroventricular leptin increases lumbar and renal sympathetic nerve activity and blood pressure in normal rats. *Diabetes* 1997; 46:2040-2043.
77. Nijjima A. Afferent signals from leptin sensors in the white adipose tissue of the epididymis, and their reflex effect in the rat. *J Auton Nerv Syst* 1998; 73:19-25.
78. Nijjima A. Reflex effects from leptin sensors in the white adipose tissue of the epididymis to the efferent activity of the sympathetic and vagus nerve in the rat. *Neuroscience Letters* 1999; 262:125-128.
79. Kim Y-B, Nakajima R, Matsuo T, et al. Gene expression of insulin signal-

- transduction pathway intermediates is lower in rats fed a beef tallow diet than in rats fed a safflower oil diet. *Metabolism* 1996; 45:1080-1088.
80. Muntzel MS, Morgan DA, Mark AL, Johnson AK. Intracerebroventricular insulin produces nonuniform regional increases in sympathetic nerve activity. *Am J Physiol* 1994; 267:R1350-R1355.
 81. Lu H, Duanmu Z, Houck C, Jen K-LC, Buisson A, Dunbar JC. Obesity due to high fat diet decreases the sympathetic nervous and cardiovascular responses to intracerebroventricular leptin in rats. *Brain Res Bull* 1998; 47:331-335.
 82. Katakam PVG, Ujhelyi MR, Hoenig ME, Miller AW. Endothelial dysfunction precedes hypertension in diet-induced insulin resistance. *Am J Physiol* 1998; 275:R788-R792.
 83. Kim Y, Tamura T, Iwashita S, Tokuyama K, Suzuki M. Effect of high-fat diet on gene expression of GLUT4 and insulin receptor in soleus muscle. *Biochem Biophys Res Commun* 1994; 202:519-526.
 84. Kahn CR. Role of insulin receptors in insulin-resistant states. *Metabolism* 1980; 29:455-466.
 85. Handa BRK, Johns EJ. Interaction of the renin-angiotensin system and the renal nerves in the regulation of rat kidney function. *J Physiol* 1985; 369:311-321.
 86. Beach RE, Thomas D, DuBose J. Adrenergic regulation of (Na^+ , K^+)-ATPase activity in proximal tubules of spontaneously hypertensive rats. *Kidney Int* 1990; 38:402-408.
 87. Morgan DA, Balon TW, Ginsberg BH, Mark AL. Nonuniform regional sympathetic nerve responses to hyperinsulinemia in rats. *Am J Physiol* 1993; 264:R423-R427.
 88. Hall JE, Brands MW, Dixon WN, Manis J, Smith J. Obesity-induced hypertension. Renal function and systemic hemodynamics. *Hypertension* 1993; 22:292-299.
 89. Aisaka K, Kihara T, Koike M, Kuroki M, Ishihara T. Effect of yohimbine on urethane-induced hyperglycemia in rats. *Jpn J Pharmacol* 1989; 49:523-527.
 90. Haynes WG, Morgan DA, Walsh SA, Mark AL, Sivitz WI. Receptor-mediated regional sympathetic nerve activation by leptin. *J Clin Invest* 1997; 100:270-278.

91. Lembo G, Vecchione C, Fratta L, et al. Leptin induces direct vasodilation through distinct endothelial mechanisms. *Diabetes* 2000; 49:293-297.
92. El-Dahr SS, Gomez RA, Gray MS, Peach MJ, Carey RM, Chevalier RL. Renal nerves modulate renin gene expression in the developing rat kidney with ureteral obstruction. *J Clin Invest* 1991; 87:800-810.
93. Suzuki T, Yanagi K, Ookawa K, Hatakeyama K, Ohshima N. Blood flow and Leukocyte adhesiveness are reduced in the microcirculation of a peritoneal disseminated colon carcinoma. *Ann Biomed Engng* 1998; 26:803-811.
94. Homma S, Sato M, Sugishita Y, Ohshima N. Flow behavior of erythrocytes in living microvessels: analysis of the distribution of dynamic hematocrits measured in vivo. *Int. J. Multiphase Flow* 1993; 19:897-904.
95. Cleland SJ, Petrie JR, Ueda S, Elliott HL, Connell JMC. Insulin-mediated vasodilation and glucose uptake are functionally linked in humans. *Hypertension* 1999; 33:554-558.
96. Schroeder CA, JR., Chen Y-L, Messina EJ. Inhibition of NO synthesis or endothelium removal reveals a vasoconstrictor effect of insulin on isolated arterioles. *Am J Physiol* 1999; 276:H815-H820.
97. Taylor PD, Poston L. The effect of hyperglycemia on function of rat isolated mesenteric resistance artery. *Br J Pharmacol* 1994; 113:801-808.
98. Bohlen HG, Lash JM. Topical hyperglycemia rapidly suppresses EDRF-mediated vasodilation of normal rat arterioles. *Am J Physiol* 1993; 265:H219-H225.
99. Mitchell D, Tyml K. Nitric oxide release in rat skeletal muscle capillary. *Am J Physiol* 1996; 270:H1696-H1703.
100. Kolanowski J. Obesity and hypertension: from pathophysiology to treatment. *Int J Obes* 1999; 23 (Suppl 1):42-46.
101. Mancia G, Grassi G, Giannattasio C, Seravalle G. Sympathetic activation in the pathogenesis of hypertension and progression of organ damage. *Hypertension* 1999; 34:724-728.
102. Rahn KH, Barenbrock M, Hausberg M. The sympathetic nervous system in the

- pathogenesis of hypertension. *J Hypertens* 1999; 17 (Suppl 3):S11-S14.
103. Tuck ML. The sympathetic nervous system in essential hypertension. *Am Heart J* 1986; 112:877-886.
 104. Häbler H-J, Wasner G, Jänig W. Attenuation of neurogenic vasoconstriction by nitric oxide in hindlimb microvascular beds of the rat in vivo. *Hypertension* 1997; 30:957-961.
 105. Nakamura A, Johns EJ. Renal nerves, renin, and angiotensinogen gene expression in spontaneously hypertensive rats. *Hypertension* 1995; 25:581-586.
 106. Yu J, Tyml K. Capillary adrenoceptors in rat skeletal muscle. *Microvasc Res* 1997; 53.
 107. Schuschke DA, Saari JT, Ackermann DM, Miller FN. Progressive microcirculatory changes caused by hypercholesterolemia in rats. *Am J Physiol* 1990; 258:H1464-H1469.