

参考文献

- Ailhaud G: Cellular and molecular aspects of adipose tissue development. *Annu Rev Nutr*, 1992; 12: 207-233.
- Ahren B, Mansson S, Gingerich RL, Havel PJ: Regulation of plasma leptin in mice: influence of age, high-fat diet, and fasting. *Am J Physiol*, 1997; 273: R113-R120.
- Alberts B, Bray D, Lewis J, Raff M, Roberts K, Watson JD: *Molecular Biology of The Cell*. Third Edition. KYOIKUSHA, 1995; p1021-1131.
- Alfieri M, Pomerleau J, Grace DM: A comparison of fat intake of normal weight, moderately obese and severely obese subjects. *Obes Sur*, 1997; 7: 9-15.
- Ausman LM, Rasmussen KM, Gallinam DL: Spontaneous obesity in maturing squirrel monkeys fed semipurified diets. *Am J Physiol*, 1981; 241: R316-21.
- Barker M, Robinson S, Osmond C, Barker DJ: Birth weight and body fat distribution in adolescent girls. *Arch Dis Child*, 1997; 77: 381-3.
- Bemsadoun A: Lipoprotein lipase. *Ann Rev Nutr*, 1991; 11: 217-237.
- Bessessen DH, Robertson AD, Eckel RH: Weight reduction increases adipose but decreases cardiac LPL in reduced-obese Zucker rats. *Am J Physiol*, 1991; 261: E246-251.
- Biggers JD, Whittingham DG, Donahue RP: The pattern of energy metabolism in the mouse oocyte and zygote. *Proc Natl Acad Sci USA*, 1967; 58: 560-567.
- Boozer CN, Schoenbach G, Atkinson RL: Dietary fat and adiposity: a dose-response relationship in adult male rats fed isocalorically. *Am J Physiol*, 1995; 268: E546-550.
- Boss O, Samec S, Paoloni-Giacobino A, Rossier C, Dulloo A, Seydoux J, Muzzin P, Giacobino JP: Uncoupling protein-3: a new member of the mitochondrial carrier family with tissue-specific expression. *FEBS Lett*, 1997; 408: 39-42.
- Braun JE, Severson DL: Regulation of synthesis, processing and translocation of lipoprotein lipase. *Biochem J*, 1992; 287: 337-347.

Bue JM, Hausman DB, Berdanier CD: Gestational diabetes in the BHE rat: influence of dietary fat. *Am J Obstet Gynecol*, 1989; 161: 234-240.

Campfield LA, Smith FJ, Guisez Y, Devos R, Burn P: Recombinant mouse OB protein: evidence for a peripheral signal linking adiposity and central neural networks. *Science*, 1995; 269: 546-549.

Caro JF, Sinha MK, Kolaczyske JW, Zhang PL, and Considine RV: *Leptin*: The tale of an obesity gene. *Diabetes*, 1996; 45: 1455-1462.

Chomczynski P, Sacchi N: Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal Biochem*, 1987; 162: 156-159.

Cioffi JA, Shafer AW, Zupancic TJ, Smith-Gbur J, Mikhail A, Platika D: Novel B 219/OB receptor isoform: possible role of leptin in hematopoiesis and reproduction. *Nature Medicine*, 1996; 2: 585-9.

Cleary MP, Vasselli JR, Greenwood MR: Development of obesity in Zucker obese (*fa/fa*) rats in absence of hyperphagia. *Am J Physiol*, 1985; 238: E282-E294.

Cohn C, Joseph D: Effects on metabolism produced by the rate of ingestion of the diet. *Am J Clin Nutr*, 1960; 8: 682-90.

Collins S, Daniel KW, Petro AE, Surwit RS: Strain-specific response to beta 3-adrenergic receptor agonist treatment of diet-induced obesity in mice. *Endocrinology*, 1997; 138: 405-413.

Collins S, Daniel KW, Rohlf's EM, Ramkumar V, Taylor IL, Gettys TW: Impaired expression and functional activity of the β 3 and β 1 adrenergic receptors in adipose tissue of congenitally obese (C57BL/6J *ob/ob*) mice. *Mol Endocrinol*, 1994; 8: 518-527.

Collins S, Kuhn CM, Petro AE, Swick AG, Chrnyk BA, Surwit RS: Role of leptin in fat regulation. *Nature*, 1996; 380: 677.

Considine RV, Considine EL, Williams CJ, Nyce MR, Magosin SA, Bauer TL, Rosato JL, Colberg J, Caro JF: Evidence against either a premature stop codon or the absence of obese gene mRNA in human obesity. *J Clin Invest*, 1995; 95: 2986-2988.

Crawford MA, Doyle W, Drury P: Relationship between maternal and infant nutrition. The special role of fat in energy transfer. *Trop. Geogr Med*, 1985; 37: S5-16.

Cryer A: Tissue lipoprotein lipase activity and its action in lipoprotein metabolism. *Int J Biochem*, 1981; 13: 525-541.

Diamond MP, Moley KH, Pellicer A, Vaughn WK, DeCherney AH: Effects of streptozotocin-and alloxan-induced diabetes mellitus on mouse follicular and early embryo development. *J Reprod Fertil*, 1989; 86: 1-10.

Diersen-Schade DA, Richard MJ, Beita DC, Jacobson NL: Effects of beef, soy and conventional diets on body composition and plasma lipids of young pigs fed restricted and liberal amounts of diet. *J Nutr*, 1985; 115: 1016-24.

Dreon DM, Frey-Hewett B, Ellsworth N: Dietary fat: carbohydrate ratio and obesity in middle-aged men. *Am J Clin Nutr*, 1988; 47: 995-1000.

Duff DA, Snell K: Effect of altered neonatal nutrition on the development of enzymes of lipid and carbohydrate metabolism in the rat. *J Nutr*, 1982; 112:1057-66.

Dugail I, Quignard-Boulangé A, Brigant L, Etienne J, Noe L, Lavau M: Increased lipoprotein lipase content in the adipose tissue of suckling and weaning obese Zucker rats. *Biochemical J*, 1988; 249: 45-9.

Eckel RH, Yost TJ: Weight reduction increases adipose tissue lipoprotein lipase responsiveness in obese women. *J Clin Invest*, 1987; 80: 1291-1296.

Emorine LJ, Marullo S, Briand-Sutren M-M: Molecular characterization of the human β 3- adrenergic receptor. *Science*, 1989; 245: 1118.

Enerback S, Gimble JM: Lipoprotein lipase gene expression: physiological regulators at the transcriptional and post-transcriptional level. *Biochim Biophys Acta*, 1993; 1169: 107-125.

Fleury C, Neverova M, Collins S, Raimbault S, Champigny O, Levi-Meyrueis C, Bouillaud F, Seldin MF, Surwit RS, Ricquier D, Warden CH: Uncoupling protein-2: a novel gene linked to obesity and hyperinsulinemia. *Nat Genet*, 1997; 15: 269-272.

Garfinkel AS: *Plasma Lipoproteins*. Elsevier Amsterdam, 1987; p335-358.

Garlid KD, Orosz DE, Modriansky M, Vassanelli S, Jezek P: On the mechanism of fatty acid-induced proton transport by mitochondrial uncoupling protein. *J Biol Chem*, 1996; 271:

2615-2620.

Gärner K: A third component causing random variability beside environment and genotype. A reason for the limited success of a 30 year long effort to standardize laboratory animals? *Lab Anim*, 1990; 24: 71-77.

Gimeno RE, Dembski M, Weng X, Deng N, Shyjan AW, Gimeno CJ, Iris F, Ellis SJ, Woolf EA, Tartaglia LA: Cloning and characterization of an uncoupling protein homolog: a potential molecular mediator of human thermogenesis. *Diabetes*, 1997; 46: 900-906.

Hales CN: Metabolic consequences of intrauterine growth retardation. *Acta Paediatrica (Suppl)*, 1997; 423: 184-188.

Hamilton BS, Paglia D, Kwan AY, Deitel M: Increased obese mRNA expression in omental fat cells from massively obese humans. *Nature Med*, 1995; 1: 953-956.

原 正俊: 肥満に関する疫学の事項. *日本臨床*, 1995; 53: 肥満症 特別号 p249.

Hausman DB, McCloskey HM, Martin RJ: Maternal dietary fat type influences the growth and fatty acid composition of newborn and weanling rats. *J Nutr*, 1991; 121: 1917-23.

Havel PJ, Kasim-Karakas S, Mueller W, Johnson PR, Gingerich RL, Stern JS: Relationship of plasma leptin to plasma insulin and adiposity in normal weight and overweight women: effects of dietary fat content and sustained weight loss. *J Clin Endocrinol. Metab*, 1996; 81: 44006-44013.

Heck MV, Compton DS, France CF, Tedesco RP, Fawzi AB, Graziano MP, Sybertz EJ, Strader CD, and Davis HR: Diet-induced obese mice develop peripheral, but not central, resistance to leptin. *J Clin Invest*, 1997; 99: 385-390.

Hervey GR: The effects of lesions in the hypothalamus in parabiotic rats. *J Physiol*, 1958; 145: 336-352.

Himms-Hagen J: Thermogenesis in brown adipose tissue as an energy buffer. *N Engl J Med*, 1984; 311: 1549-1558.

Himms-Hagen J: Brown adipose tissue thermogenesis and obesity. *Prog Lipid Res*, 1989; 28: 67-115.

Himms-Hagen J: Role of brown adipose tissue thermogenesis in control of thermoregulatory feeding in rats: a new hypothesis that links thermostatic and glucostatic hypotheses for control of food intake. *Proc Soc Exp Biol Med*, 1995; 208: 159-169.

Hsieh B, Chi MM, Knor J, Lowry OH: Enzymes of glycogen metabolism and related metabolites in preimplantation mouse embryos. *Dev Biol*, 1979; 72: 342-349.

Iwashita S, Kim YB, Miyamoto H, Komuro M, Tokuyama K, Suzuki M: Diurnal rhythm of plasma insulin and glucose in rats made obese by a high fat diet. *Horm Metab Res*, 1996; 28: 199-201.

Jame WP, Trayhurn P: Thermogenesis and obesity. *Br Med Bull*, 1981; 37: 43-48.

Johnson EM, Deckwerth TL, Deshmukh M: Neuronal death in developmental models: possible implications in neuropathology. *Brain Pathol*, 1996; 6: 397-409.

菅原七郎: 図説哺乳動物の発生工学実験法. 学会出版センター, 1986; pp127-146.

Karlsson C, Lindell K, Svensson E, Bergh C, Lind P, Billig H, Carlsson LM, Carlsson B: Expression of functional leptin receptors in the human ovary. *J Clin Endo Met*, 1997; 82: 4144-8.

Kayden HJ, Dancis J, Maney WL: Transfer of lipids across guinea pig placenta. *Am J Obs Gyn*, 1969; 104: 564-572.

Keesey RE: A set-point theory of obesity. In Briwnell KD, Foreyt, JP. eds. *Handbook of eating disorders: Physiology, psychology, and treatment of obesity, anorexia, and bulimia*. New York, Basic Books, 1981; pp 63-87.

Keesey RE, Powley TL: The regulation of body weight. *Annu Rev Psychol*, 1986; 37: 109-133.

Kennedy GC: The role of depot fat in the hypothalamic control of food intake in the rat. *Proc R Soc*, 1953; 140: 578-592.

Kern PA, Ong JM, Saffari B, Carty B: The effects of weight loss on the activity and expression of adipose-tissue lipoprotein lipase in very obese humans. *N Engl J Med*, 1990; 322:

1053-1059.

Kieffer TJ, Heller RS, Habener JF: Leptin receptors expressed on pancreatic β -cells. *Biochem Biophys Res Commun*, 1996; 224: 522-527.

Kimber SJ: Glucoconjugates and cell surface interaction in pre- and peri-implantation mammalian embryonic development. *Int Rev Cytol*, 1990; 120: 53-167.

Klaus S, Cassard-Doulcier A, Ricquier D: Development of Phodopus sungorus brown preadipocytes in primary cell culture: Effect of an atypical beta-adrenergic agonist, insulin, and triiodothyronin on differentiation, mitochondrial development, and expression of the uncoupling protein UCP. *J Cell Biol*, 1991; 115: 1783-1790.

Kleiber M: Body size and metabolic rate. *Physiol Rev*, 1947; 15: 511-541.

Klesges RC, Klesges LM, Haddock CK, Eck LH: A longitudinal analysis of the impact of dietary intake and physical activity on weight change in adults. *Am J Clin*, 1988; 55: 818-822.

厚生省健康栄養増進課監修: 平成7年版・国民栄養の現状. 肥満・肥満症の指導マニュアル, 日本肥満学会 肥満症診療のてびき編集委員会, 医歯薬出版社. 1997; pp 13.

Ktirg S, Lonnqvist F, Raimbault S: Tissue distribution of β_3 -adrenergic receptor mRNA in man. *J Clin Invest*, 1993; 91: 344.

Larsson H, Elmatahl S, Ahren B: Plasma leptin levels correlate to islet function independently of body fat in postmenopausal women. *Diabetes*, 1996; 45: 1581-1584.

Law CM, Barker DJ, Osmond C, Fall CH, Simmonds SJ: Early growth and abdominal fatness in adult life. *J Epi Comm Health*, 1992; 46: 184-186.

Lea RG, McCracken JE, McIntyre SS, Smith W, Baird JD: Disturbed development of the preimplantation embryo in the insulin-dependent diabetic BB/E rat. *Diabetes*, 1996; 45: 1463-1470.

Lee GH, Proenca R, Montea JM, Carroll KM, Darvishzadeh JG, Lee JI, Friedman JM: Abnormal splicing of the leptin receptor gene in diabetic mice. *Nature*, 1996; 379,632-635.

Levin BE, Dunn-Meynell AA, Balkan B, Keesey RE: Selective breeding for diet-induced

obesity and resistance in Sprague-Dawley rats. *Am J Physio*, 1997; 273: R725-30.

Levin BE, Triscari J, Sullivan AC: Metabolic features of diet-induced obesity without hyperphagia in young rats. *Am J Physio*, 1986; 251: R433-40.

林 基元: 世代を超えた高脂肪食または高炭水化物食の食歴が体脂肪蓄積および内分泌系に及ぼす影響. 筑波大学 1991年度 博士学位論文

Lissner L, Heitmann BL: Dietary fat and obesity: Evidence from epidemiology. *Eur J Clin Nutr*, 1995; 49: 79-90.

Lonnquist F, Arner P, Nordford L, Schalling M: Overexpression of the obese(ob)gene in adipose tissue of human obese subjects. *Nature Med*, 1995; 1: 950-953.

Lowell BB, Flier JS: The potential significance of β_3 adrenergic receptors. *J Clin Invest*, 1995; 95: 923.

Martin RJ, Herbein JH: Effect of a high fat diet on body composition, cellularity, and enzyme level during early development of the rat. *Proc Soc Exp Biol Med*, 1980; 164: 341-346.

Marette A, Bukowiecki L: Noradrenaline stimulates glucose transport in rat brown adipocytes by activating thermogenesis. *Biochem J*, 1991; 277: 119-124.

Marette A, Geloan A, Collet A, Bukowiecki L: Defective metabolic effects of norepinephrine and insulin in obese Zucker rat brown adipose tissue. *Am J Physiol*, 1990; 258: E320-E328.

McCance DR, Pettie DJ, Hanson RL, Jacobsson LT, Knoeler WC, Bennett PH: Birth weight and non-insulin dependent diabetes: thrifty genotype, thrifty phenotype, or surviving small baby genotype? *Br Med J*, 1994; 308: 942-945.

Mickeelsen O, Takahashi S, Craig C: Experimental obesity. I. Production of obesity in rats by feeding high-fat diet. *J Nutr*, 1955; 57: 541-554.

Minokoshi Y, Saito M, Shimazu T: Sympathetic denervation impairs responses of brown adipose tissue to VMW stimulation. *Am J Physiol*, 1986; 251: R1005-R1008.

Mogan J: Parental weight and its relation to infant feeding patterns and infant obesity. *Int J Nurs Studies*, 1986; 23: 255-64.

Moley KH, Chi MM, Mueckler MM: Maternal hyperglycemia alters glucose transport and utilization in mouse preimplantation embryos. *Am J Physiol*, 1998; 275: E38-47.

Moley KH, Vanghn WK, Diamond P: Manifestations of diabetes mellitus on mouse preimplantation development: effect of elevated concentration of metabolic intermediates. *Human Reprod*, 1994; 9: 113-121.

Moore BJ, Olsen JL, Marks F, Brasel JA: The effects of high fat feeding during one cycle of reproduction consisting of pregnancy, lactation and recovery on body composition and fat pad cellularity in the rat. *J Nutr*, 1984; 114: 1566-1573.

Muzzin P, Revelli JP, Kuhne F, Gocayne JD, McCombie WR, Venter JC, Giacobino JP, Fraser CM: An adipose tissue-specific beta-adrenergic receptor. Molecular cloning and down-regulation in obesity. *J Biol Chem*, 1991; 266: 240053-24058.

長尾恭光: 世代を超えた高炭水化物食または高脂肪食の食歴が体脂肪蓄積に及ぼす遺伝的影響について. 筑波大学 1992年度 修士学位論文

Nedvidkova J: Leptin. *Cesk Fysiol*, 1997; 46: 182-8.

Ong JM, Kern P: Effect of feeding and obesity on lipoprotein lipase activity, immunoreactive protein, and messenger RNA levels in human adipose tissue. *J Clin Invest*, 1989; 84: 305-311.

Ong, JM., Kirchgessner TG, Schotz MC, Kern PA. Insulin increases the synthetic rate and messenger RNA level of lipoprotein lipase in isolated rat adipocytes. *J Biol Chem*. 1988; 263: 12933-12938.

Pelleymounter MA, Cullen MJ, Baker MB, Hecht R, Winters D, Boone T, Collins F: Effects of the obese gene product on body weight regulation in ob/ob mice. *Science*, 1995; 269: 540-543.

Platka-Bird L, Bennink MR: Relationship of level and type of dietary fat to fetal and maternal rat lipogenesis and lipid deposition. *J Nutr*, 1978; 108: 1422-1430.

Portman OW, Behrman RE, Soltys P: Transfer of free fatty acids across the primate placenta. *Am J Physiol*, 1969; 216: 143-147.

Ravussin E, Pratley RE, Margherita M, Wang H, Friedman JM, Bennett PH, Bogardus C: Relatively low plasma leptin concentrations precede weight gain in Pima Indians. *Nature Med*, 1997; 3: 238-240.

Rayner DV, Dalglish GD, Duncan JS, Hardie LJ, Hoggard N, Trayhurn P: Postnatal development of the ob gene system: elevated leptin levels in suckling fa/fa rats. *Am J Physiol*, 1997; 273: R446-50.

Rhnmark S, Kopecky J, Jacobsson A, Nechad M, Herron D, Nelson BD, Obregon M, Nedergaard J, Cannon B: Brown adipocytes differentiated in culture in vitro can express the gene for the uncoupling protein thermogenin: Effects of hypothyroidism and norepinephrine. *Exp Cell Res*, 1989; 182: 75-83.

Ricquier D, Mory G: Factors affecting brown adipose tissue activity in animals and man. *Clin Endocrinol Metab*, 1984; 13: 502-519.

Robertson AF, Sprecher H: A review of human placental lipid metabolism and transport. *Acta Paediatr (suppl.)*, 1968; 183: 1-18.

Rolls BA, Gurr MI, van Duijvenvoorde PM, Rolls BJ, Rowe EA: Lactation in lean and obese rats: Effects of cafeteria feeding and of dietary obesity on milk composition. *Physiol Behav*, 1986; 38: 185-190.

Romieu I, Wickett WC, Stamofor MJ, Colditz GA, Sampson L, Rosener B, Hennekens CH, and Speizer FE: Energy intake and other determinants of relative weight. *Am J Clin*, 1988; 47: 406-412.

Romsos DR, Belo PS, Bennink MR, Bergen WG, Leveille GA: Effect of dietary carbohydrate, fat and protein on growth, body composition and blood metabolite levels in the dog. *J Nutr*, 1976; 106: 1452-64.

Rothwell NJ, Feuvre RA: Thermogenesis, brown adipose tissue and dexfenfluramine in animal studies. *Int J Pbes Relat Metab Disord*, 1992; 19 (suppl.3): S67-S71.

Sallmon DM, Flatt JP: Effects of dietary fat content on the incidence of obesity among ad libitum fed mice. *Int J Obes*, 1955; 9: 443-449.

Schafer-Graf UM, Dupak J, Vogel M, Dudenhausen JW, Kjos SL, Buchanan TA, Vetter K:

Hyperinsulinism, neonatal obesity and placental immaturity in infants born to women with one abnormal glucose tolerance test value. *J Perinatal Med*, 1998; 26:27-36.

Shimada M, Ishibashi S, Yamamoto K, Kawamura M, Watamabe Y, Gotoda T, Harada K, Imaba T, Ohsuga J, Yazaki Y, Yamada N: Overexpression of human lipoprotein lipases increases hormone-sensitive lipase activity in adipose tissue of mice. *Biochem Biophys Res Commun*, 1995; 211: 761-766.

Simsolo RB, Ong JM, Saffari B, Kern PA. Effect of improved diabetes control on the expression of lipoprotein lipase in human adipose tissue. *J Lipid Res*. 1992; 33:89-95.

Sorensen TI: The genetics of obesity. *Metabolism*, 1995; 44 (suppl. 3): 4-6.

Surwit RS, Wang S, Petro AE, Sanchis D, Raimbault S, Ricquier D, Collins S: Diet-induced changes in uncoupling proteins in obesity-prone and obesity-resistant strains of mice. *Proc Nat Acad Sci of USA*, 1998; 95: 4061-4065.

Takeuchi H, Matsuo T, Tokuyama K, Shimomura Y, and Suzuki M: Diet-induced thermogenesis is lower in rats fed a lard diet than in those fed a high oleic acid safflower oil diet, a safflower oil diet or a linseed oil diet. *J Nutr*, 1995; 125: 920-925.

Taube G: Weight increases worldwide? *Science*, 1998; 280: 1368.

Trottier G, Koski KG, Brun T, Toufexis DJ, Richard D, Walker CD: Increased fat intake during lactation modifies hypothalamic-pituitary-adrenal responsiveness in developing rat pups: a possible role for leptin. *Endocrinology*, 1998; 139: 3704-3711.

Vidal-Puig A, Solanes G, Grujic D, Flier JS, Lowell BB: UCP3: an uncoupling protein homologue expressed preferentially and abundantly in skeletal muscle and brown adipose tissue. *Biochem Biophys Res Commun*, 1997; 235: 797-782.

Yeaman SJ: Hormone-sensitive lipases-a multipurpose enzyme in lipid metabolism. *Biochim Biophys Acta*, 1990; 1052: 128-132.

Zhang Y, Procna R, Maffei M, Barone M, Leopold L, Friedman J: Positional cloning of the mouse obese gene and its human homologue. *Nature*, 1994; 372: 425-443.