

## References

- Afshar, M., Caves, L. S., Guimard, L., Hubbard, R. E., Calas, B., Grassy, G. & Haiech, J. (1994). Investigating the high affinity and low sequence specificity of calmodulin binding to its targets. *J. Mol. Biol.* **244**, 554-571.
- Aletta, J. M., Selbert, M. A., Nairn, A. C. & Edelman, A. M. (1996). Activation of a calcium-calmodulin-dependent protein kinase I cascade in PC12 cells. *J. Biol. Chem.* **271**, 20930-20934.
- Ames, J. B., Tanaka, T., Stryer, L. & Ikura, M. (1994). Secondary structure of myristoylated recoverin determined by three-dimensional heteronuclear NMR: implications for the calcium-myristoyl switch. *Biochemistry* **33**, 10743-10753.
- Archer, S. J., Ikura, M., Torchia, D. A. & Bax, A. (1991). An alternative 3D NMR technique for correlating backbone  $^{15}\text{N}$  with side-chain  $\text{H}_\beta$  resonances in larger proteins. *J. Magn. Reson.* **95**, 636-641.
- Babu, Y. S., Sack, J. S., Greenhough, T. J., Bugg, C. E., Means, A. R. & Cook, W. J. (1985). Three-dimensional structure of calmodulin. *Nature* **315**, 37-40.
- Bading, H., Ginty, D. D. & Greenberg, M. E. (1993). Regulation of gene expression in hippocampal neurons by distinct calcium signaling pathways. *Science* **260**, 181-186.
- Bagby, S., Harvey, T. S., Eagle, S. G., Inouye, S. & Ikura, M. (1994). NMR-derived three-dimensional solution structure of protein S complexed with calcium. *Structure* **2**, 107-122.
- Barbato, G., Ikura, M., Kay, L. E., Pastor, R. W. & Bax, A. (1992). Backbone dynamics of calmodulin studied by  $^{15}\text{N}$  relaxation using inverse detected two-dimensional NMR spectroscopy: the central helix is flexible. *Biochemistry* **31**, 5269-5278.
- Bax, A., Clore, G. M. & Gronenborn, A. M. (1990).  $^1\text{H}$ - $^1\text{H}$  correlation via isotropic mixing of  $^{13}\text{C}$  magnetization, a new three-dimensional approach

- for assigning  $^1\text{H}$  and  $^{13}\text{C}$  spectra of  $^{13}\text{C}$ -enriched proteins. *J. Magn. Reson.* **88**, 425-431.
- Bito, H., Deisseroth, K. & Tsien, R. W. (1996). CREB phosphorylation and dephosphorylation: a  $\text{Ca}^{2+}$ - and stimulus duration-dependent switch for hippocampal gene expression. *Cell* **87**, 1203-1214.
- Blumenthal, D. K., Takio, K., Edelman, A. M., Charbonneau, H., Titani, K., Walsh, K. A. & Krebs, E. G. (1985). Identification of the calmodulin-binding domain of skeletal muscle myosin light chain kinase. *Proc. Natl. Acad. Sci. USA* **82**, 3187-3191.
- Bradford, M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principles of protein-dye binding. *Anal. Biochem.* **72**, 248-254.
- Brünger, A. T. (1992). *X-PLOR Version 3.1. A system for X-ray crystallography and NMR*, Yale Univ. Press, New Haven, CT.
- Chattopadhyaya, R., Meador, W. E., Means, A. R. & Quijcho, F. A. (1992). Calmodulin structure refined at 1.7 Å resolution. *J. Mol. Biol.* **228**, 1177-1192.
- Cheung, W. Y. (1971). Cyclic 3', 5'-nucleotide phosphodiesterase. Effect of divalent cations. *Biochim. Biophys. Acta.* **242**, 395-409.
- Chin, D. & Means, A. R. (1996). Methionine to glutamine substitutions in the C-terminal domain of calmodulin impair the activation of three protein kinases. *J. Biol. Chem.* **271**, 30465-30471.
- Christophe, L. M. J. V., Rudenko, G. & Hol, W. G. J. (1992). In search of new lead compounds for trypanosomiasis drug design: A protein structure-based linked-fragment approach. *J. Comp. Aided Mol. Design* **6**, 131-147.
- Cook, W. J., Walter, L. J. & Walter, M. R. (1994). Drug binding by calmodulin: Crystal structure of a calmodulin-trifluoperazine complex. *Biochemistry* **33**, 15259-15265.
- Craven, C. J., Whitehead, B., Jones, S. K. A., Thulin, E., Blackburn, G. M. &

- Waltho, J. P. (1996). Complexes formed between calmodulin and the antagonists J-8 and TFP in solution. *Biochemistry* **35**, 10287-10299.
- Cussac, D., Frech, M. & Chardin, P. (1994). Binding of the Grb2 SH2 domain to phosphotyrosine motifs does not change the affinity of its SH3 domains for Sos proline-rich motifs. *EMBO-J.* **13**, 4011-4021.
- Dalgano, D. C., R.E.Klevit, B.A.Levine, G.M.M.Scott, R.J.P.Williams, J.Gergely, Z.Grabarek, P.C.Leavis, R.J.A.Grand & Drabikowski, W. (1984). The nature of the trifluoperazine binding site on calmodulin and troponin-C. *Biochim. Biophys. Acta* **791**, 164-172.
- Delaglio, F. (1993). *NMRPipe system of software*, National Institutes of Health, Bethesda, MD.
- Delaglio, F., Grzesiek, S., Vuister, G. W., Zhu, G., Pfeifer, J. & Bax, A. (1995). NMRPipe: a multidimensional spectral processing system based on UNIX pipes. *J. Biomol. NMR* **6**, 277-293.
- Eldik, L. J. V. & Watterson, D. M. (1998). *Calmodulin and Calcium Signal Transduction* (Eldik, L. J. V. & Watterson, D. M., Eds.), Academic Press, San Diego.
- Enslin, H., Sun, P., Brickey, D., Soderling, S. H., Klamo, E. & Soderling, T. R. (1994). Characterization of Ca<sup>2+</sup>/calmodulin-dependent protein kinase IV. Role in transcriptional regulation. *J. Biol. Chem.* **269**, 15520-15527.
- Enslin, H., Tokumitsu, H. & Soderling, T. R. (1995). Phosphorylation of CREB by CaM-kinase IV activated by CaM-kinase IV kinase. *Biochem. Biophys. Res. Commun.* **207**, 1038-1043.
- Finn, B. E., Evenas, J., Drakenberg, T., Waltho, J. P., Thulin, E. & Forsen, S. (1995). Calcium-induced structural changes and domain autonomy in calmodulin. *Nat. Struct. Biol.* **2**, 777-783.
- Frankel, A. D. & Smith, C. A. (1998). Induced folding in RNA-protein recognition: more than a simple molecular handshake. *Cell* **92**, 149-151.
- Garrett, D. S., Powers, R., Gronenborn, A. M. & Clore, G. M. (1991). A

- common sense approach to peak picking in two-, three-, and four-dimensional spectra using automatic computer analysis of contour diagrams. *J. Magn. Reson.* **95**, 214-220.
- Gellman, S. H. (1991). On the role of methionine residues in the sequence-independent recognition of nonpolar protein surfaces. *Biochemistry* **30**, 6633-6636.
- George, S. E., Su, Z., Fan, D., Wang, S. & Johnson, J. D. (1996). The fourth EF-Hand of calmodulin and its Helix-Loop-Helix components: Impact on calcium binding and enzyme activation. *Biochemistry* **35**, 8307-8313.
- Glatter, O. (1982). *Small Angle X-Ray Scattering*. Data Analysis (Glatter, O. & Kratky, O., Eds.), Academic Press, New York.
- Goldberg, J., Nairn, A. C. & Kuryan, J. (1996). Structural Basis for the Autoinhibition of Calcium/Calmodulin-Dependent Protein Kinase I. *Cell* **84**, 875-887.
- Grzesiek, S., Anglister, J. & Bax, A. (1993). Correlation of backbone amide and aliphatic side-chain resonances in  $^{13}\text{C}/^{15}\text{N}$ -enriched proteins by isotopic mixing of  $^{13}\text{C}$  magnetization. *J. Magn. Reson.* **B101**, 114-119.
- Grzesiek, S. & Bax, A. (1992a). Correlating backbone amide and side-chain resonances in larger proteins by multiple relayed triple resonance NMR. *J. Am. Chem. Soc.* **114**, 6291-6293.
- Grzesiek, S. & Bax, A. (1992b). Improved 3D Triple-Resonance NMR Techniques Applied to a 31 kDa Protein. *J. Magn. Reson.* **96**, 432-440.
- Grzesiek, S. & Bax, A. (1993). Amino acid type determination in the sequential assignment of uniformly  $^{13}\text{C}/^{15}\text{N}$ -enriched proteins. *J. Biomol. NMR* **3**, 185-204.
- Guinier, A. (1939). *Ann. Phys.* **12**, 166-237.
- Hadjuk, P. J., Sheppard, G., Nettesheim, D. G., Olejniczak, E. T., Shuker, S. B., Meadows, R. P., Steinman, D. H., Carrera, G. M. J., Marcotte, P. A., Severin, J., Walter, K., Smith, H., Gubbins, E., Simmer, R., Holtzman, T.

- F., Morgan, D. W., Davidsen, S. K., Summers, J. B. & Fesik, S. W. (1997). Discovery of potent nonpeptide inhibitors of stromelysin using SAR by NMR. *J. Am. Chem. Soc.* **119**, 5818-5827.
- Heidorn, D. B., Seeger, P. A., Rokop, S. E., Blumenthal, D. K., Means, A. R., Crespi, H. & Trewella, J. (1989). Changes in the structure of calmodulin induced by a peptide based on the calmodulin-binding domain of myosin light chain kinase. *Biochemistry* **28**, 6757-6764.
- Hidaka, H., Asano, M., Iwadare, S., Matsumoto, I., Totsuka, T. & Aoki, N. (1978). A novel vascular relaxing agent, *N*-(6-aminohexyl)-5-chloro-1-naphthalensulfonamide which affects vascular smooth muscle actomyosin. *J. Pharmacol. Exp. Ther.* **207**, 8-15.
- Hidaka, H., Yamaki, T., Naka, M., Tanaka, T., Hayashi, H. & Kobayashi, R. (1979). Calcium-regulated modulator protein interacting agents inhibit smooth muscle calcium-stimulated protein kinase and ATPase. *Mol. Pharmacol.* **17**, 66-72.
- Hidaka, H. & Yokokura, H. (1996). Molecular and cellular pharmacology of a calcium/calmodulin-dependent protein kinase II (CaM kinase II) inhibitor, KN-62, and proposal of CaM kinase phosphorylation cascades. In *Intracellular Signal Transduction* (Nairn, H. H. a. A. C., ed.), pp. 193-219. Academic Press, San Diego.
- Hu, P. & Loo, J. A. (1995). Determining calcium-binding stoichiometry and cooperativity of paralbumin and calmodulin by mass spectroscopy. *J. Mass. Spectrom.* **30**, 1076-1082.
- Ikura, M. (1996). Calcium binding and conformational response in EF-hand proteins. *Tr. Biochem. Sci.* **21**, 14-17.
- Ikura, M., Clore, G. M., Gronenborn, A. M., Zhu, G., Klee, C. B. & Bax, A. (1992). Solution structure of a calmodulin-target peptide complex by multidimensional NMR. *Science* **256**, 632-638.
- Ikura, M., Kay, L. E. & Bax, A. (1990a). A novel approach for sequential

- assignment of  $^1\text{H}$ ,  $^{13}\text{C}$ , and  $^{15}\text{N}$  spectra of larger proteins: heteronuclear triple resonance three dimensional NMR spectroscopy. Application to calmodulin. *Biochemistry* **29**, 4659-4667.
- Ikura, M., Kay, L. E., Tschudin, R. & Bax, A. (1990b). Three-Dimensional NOESY-HMQC Spectroscopy of a  $^{13}\text{C}$ -Labeled Protein. *J. Magn. Reson.* **86**, 204-209.
- James, P., Vorherr, T. & Carafoli, E. (1995). Calmodulin-binding domains: just two faced or multi-faceted? *Tr. Biochem. Sci.* **20**, 38-42.
- Kakiuchi, S., Yamazaki, R. & Teshima, Y. (1971). Cyclic 3',5'-nucleotide phosphodiesterase, IV. Two enzymes with different properties from brain. *Biochem. Biophys. Res. Commun.* **42**, 968-974.
- Kakiuchi, S., Yamazaki, R., Teshima, Y. & Uenishi, K. (1973). Regulation of nucleoside cyclic 3':5'-monophosphate phosphodiesterase activity from rat brain by a modulator and  $\text{Ca}^{2+}$ . *Proc. Natl. Acad. Sci. USA.* **70**, 3526-3530.
- Kataoka, M., Head, J. F., Vorherr, T., Krebs, J. & Carafoli, E. (1991). Small-angle X-ray scattering study of calmodulin bound to two peptides corresponding to parts of the calmodulin-binding domain of the plasma membrane  $\text{Ca}^{2+}$  pump. *Biochemistry* **30**, 6247-6251.
- Kataoka, M., Head, J. F., Seaton, B. A. & Engelman, D. M. (1989). Melittin binding causes a large calcium-dependent conformational change in calmodulin. *Proc. Natl. Acad. Sci. USA* **86**, 6944-6948.
- Kay, L. E., Keifer, P. & Saarinen, T. (1992). Pure absorption gradient enhanced heteronuclear single quantum correlation spectroscopy with improved sensitivity. *J. Am. Chem. Soc.* **114**, 10663-10665.
- Klevit, R. E., Levine, B. A. & Williams, R. J. (1981). A study of calmodulin and its interaction with trifluoperazine by high resolution  $^1\text{H}$  NMR spectroscopy. *FEBS Lett.* **123**, 25-29.
- Knighton, D. R., Zheng, J. H., Ten Eyck, L. F., Ashford, V. A., Xuong, N. H., Taylor, S. S. & Sowadski, J. M. (1991a). Crystal structure of the catalytic

- subunit of cyclic adenosine monophosphate-dependent protein kinase. *Science* **253**, 407-414.
- Knighton, D. R., Zheng, J. H., Ten Eyck, L. F., Xuong, N. H., Taylor, S. S. & Sowadski, J. M. (1991b). Structure of a peptide inhibitor bound to the catalytic subunit of cyclic adenosine monophosphate-dependent protein kinase. *Science* **253**, 414-420.
- Knorr, R., Trezeciak, A., Bannwarth, W. & Gillesenn, D. New coupling reagents in peptide chemistry. *Tetrahedron Lett.* **30**, 1927-1930.
- Knott, R., Hansen, S. & Henderson, S. (1994). A small angle X-ray scattering study of the binding of cyclosporin-A to calmodulin. *J. Struct. Biol.* **112**, 192-198.
- Kraulis, P. J. (1991). MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures. *J. Appl. Crystallogr.* **26**, 731-7307.
- Kretsinger, R. H., Rudnick, S. E. & Weissman, L. J. (1986). Crystal structure of calmodulin. *J. Inorg. Biochem.* **28**, 289-302.
- Kuboniwa, H., Tjandra, N., Grzesiek, S., Ren, H., Klee, C. B. & Bax, A. (1995). Solution structure of calcium-free calmodulin. *Nat. Struct. Biol.* **2**, 768-776.
- Laskowski, R. A., MacArthur, M. W., Moss, D. S. & Thornton, J. M. (1993). Procheck: a program to check the stereochemical quality of protein structures. *J. Appl. Crystallogr.* **26**, 283-291.
- Leamli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-685.
- Lee, J. C. & Edelman, A. M. (1994). A protein activator of Ca<sup>2+</sup>-calmodulin-dependent protein kinase Ia. *J. Biol. Chem.* **269**, 2158-2164.
- Lee, W., Revington, M. J., Arrowsmith, C. & Kay, L. E. (1994). A pulsed field gradient isotope-filtered 3D <sup>13</sup>C HMQC-NOESY experiment for extracting intermolecular NOE contacts in molecular complexes. *FEBS Lett.* **350**, 87-90.

- Levin, R. M. & Weiss, B. (1977). Binding of trifluoperazine to the calcium-dependent activator of cyclic nucleotide phosphodiesterase. *Mol. Pharmacol.* **13**, 690-697.
- Lim, W. A., F.M., R. & Fox, R. O. (1994). Structural determinants of peptide-binding orientation and of sequence specificity in SH3 domains. *Nature* **372**, 375-379.
- MacNeil, S., Griffin, M., Cooke, A. M., Pettett, N. J., Dawson, R. A., Owen, R. & Blackburn, G. M. (1988). Calmodulin antagonists of improved potency and specificity for use in the study of calmodulin biochemistry. *Biochem. Pharmacol.* **37**, 1717-1723.
- Marion, D., Kay, L. E., Sparks, S. W., Torchia, D. A. & Bax, A. (1989). Three-dimensional heteronuclear NMR of  $^{15}\text{N}$ -labeled proteins. *J. Am. Chem. Soc.* **111**, 1515-1517.
- Massom, L., Lee, H. & Jarrett, H. W. (1990). Trifluoperazine binding to porcine brain calmodulin and skeletal muscle troponin C. *Biochemistry* **29**, 671-681.
- Matsushima, N., Izumi, Y. & Aoba, T. (1998). Small-angle X-ray scattering and computer-aided molecular modeling studies of 20 kDa fragment of porcine amelogenin: does amelogenin adopt an elongated bundle structure? *J. Biochem.* **123**, 150-156.
- Matsushima, N., Izumi, Y., Matsuo, T., Yoshino, H., Ueki, T. & Miyake, Y. (1989). Binding of both  $\text{Ca}^{2+}$  and mastoparan to calmodulin induces a large change in the tertiary structure. *J. Biochem.* **105**, 883-887.
- Matsushita, M. & Nairn, A. C. (1998). Characterization of the mechanism of regulation of  $\text{Ca}^{2+}$ /calmodulin-dependent protein kinase I by calmodulin and by  $\text{Ca}^{2+}$ /calmodulin-dependent protein kinase kinase. *J. Biol. Chem.* **273**, 21473-21481.
- Matthews, R. P., Guthrie, C. R., Wailes, L. M., Zhao, X., Means, A. R. & McKnight, G. S. (1994). Calcium/calmodulin-dependent protein kinase



- types II and IV differentially regulate CREB-dependent gene expression. *Mol. Cell Biol.* **14**, 6107-6116.
- Meador, W. E., Means, A. R. & Quijcho, F. A. (1992). Target enzyme recognition by calmodulin: 2.4 Å structure of a calmodulin-peptide complex. *Science* **257**, 1251-1255.
- Meador, W. E., Means, A. R. & Quijcho, F. A. (1993). Modulation of calmodulin plasticity in molecular recognition on the basis of X-ray structures. *Science* **262**, 1718-1721.
- Means, A. R., VanBerkum, M. F. A., Bagchi, I., Lu, K. P. & Rasmussen, C. D. (1991). Regulatory functions of calmodulin. *Pharmac. Ther.* **50**, 255-270.
- Meyer, T., Hanson, P. I., Stryer, L. & Schulman, H. (1992). Calmodulin trapping by calcium-calmodulin-dependent protein kinase. *Science* **256**, 1199-1202.
- Neri, D., Szyperski, T., Otting, G., Senn, H. & Wüthrich, K. (1989). Stereospecific nuclear magnetic resonance assignments of the methyl groups of valine and leucine in the DNA-binding domain of the 434 repressor by biosynthetically directed fractional <sup>13</sup>C labeling. *Biochemistry* **28**, 7510-7516.
- Nilges, M., Gronenborn, A. M., Brünger, A. T. & Clore, G. M. (1988). Determination of three-dimensional structures of proteins by simulated annealing with interproton distance restraints. Application to crambin, potato carboxypeptidase inhibitor and barley serine protease inhibitor. *Protein Engineering* **2**, 27-38.
- Okuno, S. & Fujisawa, H. (1993). Requirement of brain extract for the activity of brain calmodulin-dependent protein kinase IV expressed in *Escherichia coli*. *J. Biochem. (Tokyo)* **114**, 167-170.
- Okuno, S., Kitani, T. & Fujisawa, H. (1994). Purification and characterization of Ca<sup>2+</sup>/calmodulin-dependent protein kinase IV kinase from rat brain. *J. Biochem. (Tokyo)* **116**, 923-930.

- Olejniczak, E. T., Hajduk, P. J., Marcotte, P. A., Nettlesheim, D. G., Meadows, R. P., Edalji, R., Holtzman, T. F. & Fesik, S. W. (1997). Stromelysin inhibitors designed from weakly bound fragments: effects of linking and cooperativity. *J. Am. Chem. Soc.* **119**, 5828-5832.
- O'Neil, K. T. & DeGrado, W. F. (1990). How calmodulin binds its targets: sequence independent recognition of amphiphilic  $\alpha$ -helices. *Tr. Biochem. Science* **15**, 59-64.
- Osawa, M., Swindells, M. B., Tanikawa, J., Tanaka, T., Mase, T., Furuya, T. & Ikura, M. (1998). Solution Structure of Calmodulin-W-7 Complex: The Basis of Diversity in Molecular Recognition. *J. Mol. Biol.* **276**, 165-176.
- Palmer III, A. G., Cavanagh, J., Wright, P. E. & Rance, M. (1991). Sensitivity improvement in proton-detected two-dimensional heteronuclear correlation NMR spectroscopy. *J. Magn. Reson.* **93**, 151-170.
- Persechini, A. & Kretsinger, R. H. (1988). The central helix of calmodulin functions as a flexible tether. *J. Biol. Chem.* **263**, 12175-12178.
- Piotto, M., Saudek, V. & Sklenar, V. (1992). Gradient-tailored excitation for single-quantum NMR spectroscopy of aqueous solutions. *J. Biomol. NMR* **2**, 661-665.
- Quadroni, M., James, P. & Carafoli, E. (1994). Isolation of phosphorylated calmodulin from rat livers and identification of the in vivo phosphorylation sites. *J. Biol. Chem.* **269**, 16116-16122.
- Radhakrishnan, I., Perez, A. G. C., Parker, D., Dyson, H. J., Montminy, M. R. & Wright, P. E. (1997). Solution structure of the KIX domain of CBP bound to the transactivation domain of CREB: a model for activator:coactivator interactions. *Cell* **91**, 741-752.
- Rance, M., Sorensen, O. W., Bodenhausen, G., Wagner, G., Ernst, R. R. & Wüthrich, K. (1983). Improved spectral resolution in COSY  $^1\text{H}$  NMR spectra of proteins via double quantum filtering. *Biochem. Biophys. Res. Commun.* **117**, 479-485.

- Rasmussen, H. (1970). Cell communication, calcium ion, and cyclic adenosine monophosphate. *Science* **170**, 404-412.
- Rhoads, A. R. & Friedberg, F. (1997). Sequence motifs for calmodulin recognition. *FASEB-J.* **11**, 331-340.
- Roskowski, R. J. (1983). Assays of protein kinases. *Methods Enzymol* **99**, 3-6.
- Roth, S. M., Schneider, D. M., Strobel, L. A., Berkum, M. F. A., Means, A. R. & Wand, A. J. (1992). Characterization of the secondary structure of calmodulin in complex with a calmodulin-binding domain peptide. *Biochemistry* **31**, 1443-1451.
- Saraste, M. & Musacchio, A. (1994). Backwards and forwards binding. *Nat. Struct. Biol.* **12**, 835-7.
- Seaton, B. A., Head, J. F., Engelman, D. M. & Richards, F. M. (1985). Calcium-induced increase in the radius of gyration and maximum dimension of calmodulin measured by small-angle x-ray scattering. *Biochemistry* **24**, 6740-6743.
- Shuker, S. B., Hajduk, P. J., Meadows, R. P. & Fesik, S. W. (1996). Discovering high-affinity ligands for proteins: SAR by NMR. *Science* **274**, 1531-1534.
- Siivari, K., Zhang, M., III, A. G. P. & Vogel, H. J. (1995). NMR studies of the methionine methyl groups in calmodulin. *FEBS Lett.* **366**, 104-108.
- Smith, M. K., Colbran, R. J. & Soderling, T. R. (1990). Specificities of autoinhibitory domain peptides for four protein kinases. Implications for intact cell studies of protein kinase function. *J. Biol. Chem.* **265**, 1837-1840.
- Spoel, D. V. D., De Groot, B. L., Heyward, S., Berendsen, H. J. C. & Vogel, H. J. (1996). Bending of the calmodulin central helix: A theoretical study. *Prot. Sci.* **5**, 2044-2053.
- Spolar, R. S. & Record, M. T. J. (1994). Coupling of local folding to site-

- specific binding of proteins to DNA . *Science* **263**, 777-784.
- Sun, P., Enslin, H., Myung, P. S. & Maurer, R. A. (1994). Differential activation of CREB by Ca<sup>2+</sup>/calmodulin-dependent protein kinases type II and type IV involves phosphorylation of a site that negatively regulates activity. *Genes & Development* **8**, 2527-2539.
- Szyperski, T., Pellecchia, M. & Wüthrich, K. (1994). 3D H<sup>α/β</sup>C<sup>α/β</sup>(CO)NHN, a Projected 4D NMR Experiment for Sequential Correlation of Polypeptide <sup>1</sup>H<sup>α/β</sup>, <sup>13</sup>C<sup>α/β</sup> and Backbone <sup>15</sup>N and <sup>1</sup>H<sup>N</sup> Chemical Shifts. *J. Magn. Reson.* **B105**, 188-191.
- Tanaka, T., Ohmura, T. & Hidaka, H. (1982). Hydrophobic interaction of the Ca<sup>2+</sup>-calmodulin complex with calmodulin antagonists. *Mol. Pharmacol.* **22**, 403-407.
- Tokumitsu, H., Brickey, D. A., Glod, J., Hidaka, H., Sikela, J. & Soderling, T. R. (1994). Activation mechanisms for Ca<sup>2+</sup>/calmodulin-dependent protein kinase IV. Identification of a brain CaM-kinase IV kinase. *J. Biol. Chem.* **269**, 28640-28647.
- Tokumitsu, H., Enslin, H. & Soderling, T. R. (1995). Characterization of a Ca<sup>2+</sup>/calmodulin-dependent protein kinase cascade. Molecular cloning and expression of calcium/calmodulin-dependent protein kinase kinase. *J. Biol. Chem.* **270**, 19320-19324.
- Tokumitsu, H. & Soderling, T. R. (1996). Requirements for calcium and calmodulin in the calmodulin kinase activation cascade. *J. Biol. Chem.* **271**, 5617-5622.
- Tokumitsu, H., Wayman, G. A., Muramatsu, M. & Soderling, T. R. (1997). Calcium/calmodulin-dependent protein kinase kinase: identification of regulatory domains. *Biochemistry* **36**, 12823-12827.
- Trewhella, J., Blumenthal, D. K., Rokop, S. E. & Seeger, P. A. (1990). Small-angle scattering studies show distinct conformations of calmodulin

- in its complexes with two peptides based on the regulatory domain of the catalytic subunit of phosphorylase kinase. *Biochemistry* **29**, 9316-9324.
- Ueki, T., Hiragi, Y., Izumi, Y., Tagawa, H., Kataoka, M., Muroga, Y., Matsushima, T. & Amemiya, Y. (1982/1983). *KEK Progress Report*, 83-1, KEK, Tsukuba.
- Vandonselaar, M., Hickie, R. A., Quail, J. W. & Delbaere, L. T. J. (1994). Trifluoperazine-induced conformational change in Ca<sup>2+</sup>-calmodulin. *Nat. Struct. Biol.* **1**, 795-801.
- Viguera, A. R., Arrondo, J. L., Musacchio, A., Saraste, M. & Serrano, L. (1994). Characterization of the interaction of natural proline-rich peptides with five different SH3 domains. *Biochemistry* **33**, 10925-10933.
- Vogel, H. J. (1994). Calmodulin: a versatile calcium mediator protein. *Biochem. cell. Biol.* **72**, 357-376.
- Vuister, G. W. & Bax, A. (1992). Resolution enhancement and spectral editing of uniformly <sup>13</sup>C-enriched proteins by homonuclear broadband <sup>13</sup>C decoupling. *J. Magn. Reson.* **98**, 428-435.
- Vuister, G. W. & Bax, A. (1993). Quantitative *J* correlation: a new approach for measuring homonuclear three-bond *J*(H<sub>N</sub>H<sub>α</sub>) coupling constants in <sup>15</sup>N-enriched proteins. *J. Am. Chem. Soc.* **115**, 7772-7777.
- Wintrode, P. L. & Privalov, P. L. (1997). Energetics of Target Peptide Recognition by Calmodulin: A Calorimetric Study. *J. Mol. Biol.* **266**, 1050-1062.
- Wishart, D. S. & Sykes, B. D. (1994). Chemical shifts as a tool for structure determination. *Methods Enzymol* **239**, 363-392.
- Wittekind, M. & Mueller, L. (1993). HNCACB, a high-sensitivity 3D NMR experiment to correlate amide-proton and nitrogen resonances with the alpha- and beta-carbon resonances in proteins. *J. Magn. Reson.* **B101**, 201-205.
- Xie, X., Harrison, D. H., Schlichting, I., Sweet, R. M., Kalabokis, V. N., Szent

- Gyorgyi, A. G. & Cohen, C. (1994). Structure of the regulatory domain of scallop myosin at 2.8 Å resolution. *Nature* **368**, 306-312.
- Yokokura, H., Okada, Y., Terada, O. & Hidaka, H. (1996). HMN-709, a chlorobenzenesulfonamide derivative, is a new membrane-permeable calmodulin antagonist. *Jpn. J. Pharmacol.* **72**, 127-135.
- Yokokura, H., Picciotto, M. R., Nairn, A. C. & Hidaka, H. (1995). The regulatory region of calcium/calmodulin-dependent protein kinase I contains closely associated autoinhibitory and calmodulin-binding domains. *J. Biol. Chem.* **270**, 23851-23859.
- Yoshino, H., Minari, O., Matsushima, N., Ueki, T., Miyake, Y., Matsuo, T. & Izumi, Y. (1989). Calcium-induced shape change of calmodulin with mastoparan studied by solution X-ray scattering. *J. Biol. Chem.* **264**, 19706-19709.
- Yoshino, H., Wakita, M. & Izumi, Y. (1993). Calcium-dependent changes in structure of calmodulin with substance P. *J. Biol. Chem.* **268**, 12123-12128.
- Yu, H., Chen, J. K., Feng, S., Dalgarno, D. C., Brauer, A. W. & Schreiber, S. L. (1994). Structural basis for the binding of proline-rich peptides to SH3 domains. *Cell* **76**, 933-945.
- Zhang, M., Li, M., Wang, J. H. & Vogel, H. J. (1994). The effect of Met->Leu mutations on calmodulin's ability to activate cyclic nucleotide phosphodiesterase. *J. Biol. Chem.* **269**, 15546-15552.
- Zhang, M., Tanaka, T. & Ikura, M. (1995). Calcium-induced conformational transition revealed by the solution structure of apo calmodulin. *Nat. Struct. Biol.* **2**, 758-767.
- Zhang, M. & Vogel, H. J. (1994). Two-dimensional NMR studies of serenomethionyl calmodulin. *J. Mol. Biol.* **239**, 545-554.
- Zhang, W. & Gmeiner, H. (1996). Improved 3D gd-HCACO and gd-(H)CACO-TOCSY experiments for isotopically enriched proteins dissolved in H<sub>2</sub>O. *J. Biomol. NMR* **7**, 247-250.