

## 謝辞

本論文の作成にあたり、長年にわたり懇切丁寧な御指導を賜りました筑波大学体育科学系、西平賀昭助教授に心から感謝いたします。また、本論文の作成に際して御校閲を賜りました筑波大学体育科学系、岡田守彦教授、吉田 茂助教授に深厚なる謝意を表します。

本研究を進めるに当たり懇切かつ丁寧な示唆を賜りました東京都立大学理学研究科、今中國泰教授に厚く御礼申し上げます。また、体育科学への情熱と奥深さを最初にご教示いただいた千葉大学教育学部、小宮山伴与志助教授に厚く御礼申し上げます。

本研究における実験の実施、データの処理、構成に対し貴重なご協力、ご助言をいただいた筑波大学体育科学系、八田有洋助手をはじめ、健康生理学研究室の皆様我心からお礼申し上げます。

最後に、学生生活を生活面から支えてくれた父と母に感謝いたします。

## 文献

- 阿江通良, 渋川侃二, 金原 勇 : 大きな力やパワーの要求される身体運動の生理学的基礎要因に関する研究—予備緊張が瞬発的に発揮し得る等尺性筋収縮による力に及ぼす影響—. 体育学研究 23(4) : 321—331, 1979.
- 青木 久, 塚原玲子, 三田勝巳, 矢部京之助 : 急速動作における筋力発揮の動特性—動作前筋活動水準と動的筋力との関係—. 信学技報 MBE82-52 : 19—25, 1982.
- 猪飼道夫 : 動作に先行する抑制機構. 日本生理誌, 27 : 292—298, 1955.
- 猪飼道夫, 矢部京之助 : 随意動作に先行する silent period の発現機構. 体育学研究, 18 : 127—133, 1973.
- Araki H, Nishihira Y, Ishihara A : Effect of self-paced voluntary movement on early and late components of somatosensory evoked potentials. J Health Physical Educat Univ Tokushima Vol. XXIII : 11—21, 1990.
- Allison T, McCarthy G, Wood CC, Jones S J : Potentials evoked in human and monkey cerebral cortex by stimulation of the median nerve. Brain 114 : 2465—2503, 1991.
- Ashby P : Some spinal mechanisms of negative motor phenomena in humans. In Negative Motor Phenomena (ed.) Fahn S, Hallett M, Luders HO, Marsden CD. Advances in Neurology Vol. 67 pp 305—320, 1995.
- Becker W, Kristeva R : Cerebral potentials prior to various force deployments. In Motivation, motor and sensory processes of the brain : Electrical potentials, behavior and clinical use. Progressive in brain research, Kornhuber HH and Deecke L (ed.), pp 189—194, 1980.

- Becker W, Iwase K, Jurgens R, Kornhuber HH : Breitschaftspotential preceding voluntary slow and rapid hand movements. In *The responsive brain. The proceedings of the third international congress on event-related slow potentials of the brain.* McCallum WC and Knott JR (ed.), pp 99—102, 1985.
- Boxtel GJM, Brunia CHM : Motor and non-motor aspects of slow brain potentials. *Biological Psychology* 38 : 37—51, 1994.
- Boxtel GJM, Van den Boogaart B, Brunia CHM : The contingent negative variation in a choice reaction time task. *Journal of Psychophysiology* 7 : 11—23, 1993
- Botwinick J, Thompson LW : Premotor and motor components of reaction time. *J Exp Psychol* 71 : 9—15, 1966.
- Bocker KBE, Forget R, Brunia CHM : The modulation of somatosensory evoked potentials during the foreperiod of a forewarned reaction time task. *Electroencephalogr Clin Neurophysiol* 88 : 105—117, 1993.
- Brooke JD, Staines WR, Cheng J, Misiaszek JE : Modulation of cerebral somatosensory evoked potentials arising from tibial and sural nerve stimulation during rhythmic active and passive movements of the human lower limb. *Electromyogr Clin Neurophysiol* 37 : 451—461, 1996.
- Brock LG, Coombs JS, Eccles JC : The recording of potentials from motoneurons with an intracellular electrode. *J Physiol* 117 : 431—460, 1952.
- Brunia CHM, Vuister FM : Spinal reflexes as indicator of motor preparation in man. *Physiol Psychol* 7 : 377—380, 1979.
- Brunia CHM : Motor preparation, recorded on the cortical and spinal level,

- In Stelmach GE, Requin J (eds) : *Tutorials in motor behavior*. North-Holland, p399—419, 1980.
- Brunia CHM, Damen EJP : *Distribution of slow brain potentials related to motor preparation and stimulus anticipation in a time estimation task*. *Electroencephalogr Clin Neurophysiol* 69 : 234—243, 1988.
- Burke D, Adams RW, Skuse NF : *The effects of voluntary contraction on the human limb muscle*. *Brain* 77 : 577—584, 1989.
- Capaday C, Stein RB : *Amplitude modulation of the soleus H—reflex in the human during walking and standing*. *J Neuroscience* 6 : 1308—1313, 1986.
- Capaday C, Stein R B : *Difference in the amplitude of the human soleus H reflex during walking and running*. *J Physiol* 392 : 513—522, 1987.
- Deecke L, Niesser A, Ziller B : *Modality (visual and tactile) and stimulus predictability influence contingent negative variation and reaction time*. In Kornhuber and Deecke, pp. 301—308, 1980.
- Deiber MP, Giard MH, Mauguier F : *Separate generators with distinct orientations for N20 and P22 somatosensory potentials to finger stimulation ?* *Electroencephalogr Clin Neurophysiol*, 65 : 321—334, 1986 .
- Desmedt JE, Robertson D : *Differential enhancement of early and late components of the cerebral SEPs during fast sequential cognitive tasks in man*. *J Physiol* 271 : 761—782, 1977.
- Clarke DH : *Effect of preliminary muscular tension on reaction latency*. *Research Quarterly* 39 : 60—66, 1968.
- Deecke L, Kornhuber HH : *Cerebral potentials and the initiation of voluntary movement*. In *Attention, voluntary contraction and event-related*

- cerebral potentials. Desmedt JE (ed.), pp132—150, 1977.
- Demaire C, Honore J, Bizec JL, Coquery JM : Specific modulation of the Hoffman reflex cutaneous facilitation during a reaction-time task. *Exp Brain Res* 74 : 529—602, 1989.
- Dienner DS, Luders H, Lesser RP, Morris HH : Cortical generators of somatosensory evoked potentials to median nerve stimulation. *Neurology* 37 : 1141—1145, 1987.
- Eichenberger A, Ruegg DG : Relation between the specific H reflex facilitation preceding a voluntary movements in man. *J Physiol* 347 : 545—559, 1984.
- Elbert T, Rockstroh B, Hampson S, Pantev C, Hoke M : The magnetic counterpart of the contingent negative variation. *Electroencephalogr Clin Neurophysiol* 92 : 262—272, 1994.
- Fenwick PBC, Ioannides AA, Fenton GW, Lumsden J, Grummich P, Kober H, Daun A, Vieth J : Estimates of brain activity using magnetic field topography in a GO/NOGO avoidance paradigm. *Brain Topogr* 5 : 275—282, 1993.
- Forss N, Hari R, Salmelin R, Ahonen A, Hamalainen M, Kajola M, Knuutila J, Simola J : Activation of the human posterior cortex by median nerve stimulation. *Exp Brain Res* 99 : 309—315, 1994.
- Franck V, Bonnet M, Macar F : Programming the duration of a motor sequence. *Exp Brain Res* 106 : 339—350, 1995.
- Frigysei TL, Schwartz R : Cortical control of thalamic sensorimotor relay activities in the cat and the squirrel monkey, In Frigysei TL, Rinvik E, Yahr MD (eds) : *Corticothalamic Projections and Sensorimotor Activities*. North-Holland, Amsterdam, pp161—195, 1972.

- Funase K, Miles TS, Gooden BR : Trial-to-trial fluctuations in H-reflexes and motor evoked potentials in human wrist flexor. *Neurosci Let* 271 : 25—28, 1999.
- Gaillard AWK : The late CNV wave : preparation versus expectancy. *Psychophysiol* 14 : 563—568, 1977.
- Gaillard AWK , Perdok J, Vary CA : Motor preparation at a cortical and at a peripheral level. *Prog Brain Res* 54 : 214—218, 1980.
- Gandevia S, Burke D, Mckeon B : The relationship between the size of a muscle afferent volley and the cerebral potential it produces. *J Neurol Neurosurg Psychiat* 45 : 705—710, 1982.
- Gemba H, Sasaki K : Studies on cortical field potentials preceding visually initiated hand movement in the monkey. *Exp Brain Res* 55 : 26-32, 1984.
- Gerilovsky L, Struppler A, Altmann H, Velho F : Spindle activity and monosynaptic reflex excitability during foreperiod . *Electroencephalogr Clin Neurophysiol* 56 : 487—493, 1983.
- Gottlieb GL, Agarwal GC : Effects of initial conditions on the Hoffman reflex. *J Neurol Neurosurg and Psychiat* 34 : 226—230, 1971.
- Gottlieb GL, Agarwal GC, Strak L : Interactions between volutary and postural mechanism of the human motor system. *J Neurophysiol* 33 : 365—381, 1970.
- Grunewald G, Grunewald-Zuberbier E, Nets J, Homberg V, Sander G : Relationships between the late component of the contingent negative variation and the Bereitschaftspotential. *Electroencephalogr Clin Neurophysiol* 46 : 538—545, 1979.
- Gurfinkel VS, Pal'tsev EI : Effects of the state of the segmental apparatus of

- the spinal cord on performance of a simple motor reaction. *Biofizika* 10 : 855—860, 1965.
- Hagbarth KE, Vallbo ÅB : Discharge characteristics of human muscle afferents during muscle stretch and contraction. *Exp Neurol* 22 : 674—694, 1968.
- Hamano T, Luder H O, Ikeda A, Collura FT, Comair YG, Shibasaki H : The cortical generators of the contingent negative variation in humans : a study with subdural electrodes. *Electroencephalogr Clin Neurophysiol* 104 : 257—268, 1997.
- Hasbroucq T, Kaneko H, Akamatsu M, Possamai CA : Preparatory inhibition of cortico-spinal excitability : a transcranial magnetic stimulation study in man. *Brain Res Cognit Brain Res* 5 : 185—92, 1997.
- Hayes KC, Clarke AM : Facilitation of late reflexes in humans during the preparatory period of voluntary movement. *Brain Res* 291 : 178—185, 1978.
- Hink RF, Deecke L, Koruhuber HH : Force uncertainty of voluntary movement and human movement-related potentials. *Biol Psychol* 16 : 197—210, 1983.
- Hoffman P : Über die Beziehungen der Sehnenreflexe zur willkürlichen Bewegung und zum Tonus. *Z Biol* 68 : 351—370, 1918.
- Hongo T, Jankowska E, Lundberg A : The rubrospinal tract. III. Effects on primary afferent terminals. *Exp Brain Res* 15 : 39—53, 1972.
- Hoshiyama M, Sheean G : Changes of somatosensory evoked potentials preceding rapid voluntary movement in Go/No-go choice reaction time task. *Cognit Brain Res* 7 : 137—142, 1998.
- Hultin L, Rossini P, Romani GL, Hogstedt P, Tecchio F, Pizzella V :

- Neuromagnetic localization of the late component of the contingent negative variation. *Electroencephalogr Clin Neurophysiol* 98 : 453—448, 1996.
- Huttunen J, Homberg V : Modification of cortical somatosensory evoked potentials during tactile exploration and simple active and passive movements. *Electroencephalogr Clin Neurophysiol* 81 : 216—223, 1991.
- Ikeda A, Luders HO, Burgess RC, Shibasaki H : Movement-related potentials recorded from supplementary motor area and primary motor area. Role of supplementary motor area in voluntary movements. *Brain* 115 : 1017—1043, 1992.
- Ikeda A, Shibasaki H, Kaji R, Terada K, Nagamine T, Honda M, Kimura J : Dissociation between contingent negative variation (CNV) and Bereitschaftspotential (BP) in patients with parkinsonism. *Electroenceph Clin Neurophysiol* 102 : 142—151, 1997.
- Ikeda A, Shibasaki H, Nagamine T, Terada K, Kaji R, Fukuyama H, Kimura J : Dissociation between contingent negative variation and Bereitschaftspotential in a patient with cerebellar efferent lesion. *Electroenceph Clin Neurophysiol* 90 : 359—364, 1994.
- Ikeda A, Shibasaki H : Noninvasive study of cortical neuronal mechanism in voluntary movements : role of basal ganglia and cerebellum. *Clinical Neurol* 35 : 1522—1524, 1995.
- 池田昭夫, 柴崎 浩 : ヒトの随伴性陰性変動 (CNV) の硬膜下記録. *臨床脳波* 37(8) : 505—511, 1995.
- Jinnai K, Nambu A, Yoshida S, Tanibuchi I : The two separate neuron circuits through the basal ganglia concerning the preparatory or



- execution processes of motor control, In Mano N, Hamada I, Delong M A (eds) : *Role of the Cerebellum and Basal Ganglia in Voluntary Movements*. Elsevier, Amsterdam, p153—160, 1993.
- Kagamihara Y, Komiyama T, Ohi K, Tanaka R : Facilitation of agonist moto-neurons upon initiation of rapid and slow voluntary movements in man. *Neurosci Res* 14 : 1—11, 1992.
- 河合一武, 小宮山伴与志, 古林俊晃 : 運動条件の違いが主動筋 H 反射の促通に与える影響. *体力科学* 43 : 352—360, 1994.
- Knecht S, Kunesch E, Buchner H, Freund HJ : Facilitation of somatosensory evoked potentials by exploratory finger movements. *Exp Brain Res* 95 : 330—338, 1993.
- Komiyama T, Tanaka R : The differences in human spinal motoneuron excitability during the foreperiod of a motor task. *Exp Brain Res* 79 : 357—364, 1990.
- 小宮山伴与志, 笠井達哉 : 単純及び選択反応課題遂行時の主動筋 H 反射の促通動態. *体力科学* 42 : 189—200, 1993.
- Kornhuber HH , Deecke L : Hirnpotentialänderungen bei willkurbewegungen und passiven bewegungen den menschen : Bereitschaftspotential und reafferente potentiale. *Pflugers Arch* 284 : 1—17, 1965.
- Kots YM : *The organization of voluntary movement* . Plenum, New York, p276, 1977.
- Klorman R, Ryan RM : Heart rate, contingent negative variation and evoked potentials during anticipation of affective stimulation. *Psychophysiol* 17 : 513—523, 1980.
- Kristeva R, Chyne W, Lang G, Lindinger G, Deecke L : Movement-related

- potentials accompanying unilateral and bilateral finger movements with different inertial loads. *Electroenceph Clin Neurophysiol* 75 : 410—418, 1990.
- Kutas M, Donchin E : The effect of handedness, of responding hand, and of response force on the contralateral dominance of the readiness potential. In *Attention, Voluntary Contraction and Event-Related Cortical Potentials. Progress in Clinical Neurophysiology, Volum 1.* Desmedit J E(Ed), Basel and London, PP 189—210, 1977.
- Low MD, McSherry JW : Further observations of psychological factors involved in CNV genesis. *Electroenceph Clin Neurophysiol* 25 : 203—207, 1968.
- Loveless NE, Sanford AJ : Effects of age on the contingent negative variation and preparatory set in a reaction time task. *J Gerontology* 29 : 52—63, 1974.
- Loveless NE, Sanford AJ : Slow potential correlates of preparatory set. *Biol Psychol* 1 : 303—314, 1974.
- Low MD, McSherry JW : Further observations of psychological factors involved in CNV genesis. *Electroencephalogr Clin Neurophysiol* 25 : 203—207, 1968.
- Lundberg A, Vyklicky L : Inhibitory interaction between spinal reflexes to primary afferents. *Experientia* 19 : 247—248, 1963.
- 正木宏明 : 随意運動に先行する脳の緩電位変動と心理的要因. *体育学研究* 42 : 466—473, 1998.
- Mackay W A, Bonnet M : CNV, stretch reflex and reaction time correlates of preparation for movement direction and force. *Electroencephalogr Clin Neurophysiol* 76 : 47—62, 1990.

- Marsden CD, Merton PA, Morton HB : Servoaction in human voluntary movement. *Nature* 238 : 140—143, 1972.
- McCallm WC, Papakostopolos D : The CNV and reaction time in situations of increasing complexity. *Electroenceph Clin Neurophysiol* 33 (suppl.) : 179—185, 1973. .
- 三田勝巳, 青木 久, 矢部京之助 : 随意動作に先行する silent period の出現と静的準備状態との関係. *医用電子と生体工学*, 17 : 390—395, 1978.
- 三田勝巳, 青木 久, 矢部京之助 : 随意動作に先行する silent period の出現条件の検討. *体力科学*, 29 : 169—176, 1980.
- Morita H, Peterson N, Nielsen J : Gating of somatosensory evoked potentials during voluntary movement of the lower limb in man. *Exp Brain Res* 120 : 143—152, 1998.
- Mushiake H, Inase M, Tanji J : Neural Activity in the Primate Premotor, Supplementary, and Precentral Motor Cortex During Visually Guided and Internally Determined Sequential Movements. *J Neurophysiol* 66 : 705—718, 1991.
- 西平賀昭, 藤田紀盛, 荒木秀夫 : 随意動作に先行する脳運動関連電位. *体力科学* 27 : 140—148, 1978.
- 西平賀昭, 荒木秀夫 : 感覚-運動統合過程の遅速について—体性感覚刺激大脳誘発電位, 運動電位, CNV からの考察—. *J Physical Fitn Jap* 32 : 141—150, 1983.
- Nishihira Y, Araki H, Ishihara A : Attenuation of somatosensory evoked potentials immediately following rapid reaction movement. *Electromyogr Clin Neurophysiol* 31 : 15—20, 1991.
- Nishihira Y, Araki H, Funase K, Imanaka K, Hatta A : Frontal N30 potential following a sustained voluntary movement : Perceptual Motor Skills

81 : 441—442, 1995.

Nishihira Y, Araki H, Funase K, Imanaka Y, Ikeda H, Lee C, Hatta A, Shimoda M, Takemiya T : Modification of central sensory-motor system in different sensory interferences tasks. *Adv Exerc Sports Physiol* 2(2) : 57—63, 1996.

Nishihira Y, Araki H, Funase K, Imanaka K : Changes in central motor-sensory system following voluntary movement of stimulated finger. *J Sports Med Phys Fitness* 37 : 65—71, 1997a.

Nishihira Y, Araki H, Funase K, Imanaka K : Selective modification of somatosensory evoked potential during voluntary finger movement in humans. *Perceptual Motor Skills* 85 : 259—266, 1997b.

Neshige R, Luders H, Shibasaki H : Recording of movement-related potentials from scalp and cortex in man. *Brain* 111 : 719—736, 1988.

Otto DA, Benignus VA, Ryan LJ, Leifer LJ : Slow potential components of stimulus, response and preparatory process in man. A multiple linear regression model. Attention, voluntary contraction and event-related cerebral potentials. *Prog Clin Neurophysiol. Desmedt JE(Ed)* 1 : 211—230, 1977.

大築立志 : 神経・筋機能からみた運動と脳と心. *日本運動生理学雑誌* 3(2) : 155—159, 1996.

荻野弘文, 倉知正佳, 金 英道, 桜井芳雄, 斉藤 治 : 青年健常者における随伴性陰性変動と反応時間の関連について. *脳波と筋電図* 23(4) : 395—400, 1995.

奥畑好孝, 田中良明 : 脳の画像化と人間工学への応用—PET, MRI, MEG を中心として—. *人間工学* 30(6) : 373—376, 1994.

Papakostopoulos D, Cooper R : The contingent negative variation and the

- excitability of the spinal monosynaptic reflex. *J Neurol Neurosurg Psychiat*, 36 : 1003—1010, 1973.
- Papakostopoulos D, Cooper R : The electromyogram, H—reflex, automatic function and cortical potential changes during the Jendrassick manoeuvre , In Otto D A (ed) : *Multidisciplinary Perspectives in Event—related Brain Potential Research*. EPA—600/9—77—043, U. S. Enviromental projection agency, Research triangle park, N, C, p138—142, 1978.
- Papakostpoulos D, Jones JG : The impact of different levels of muscular force on the contingent negative variation (CNV). *Progress in Brain Res* 54 : 195—202, 1980.
- Rebert CS, McAdam DW, Knott JR, Irvin DA : Slow potential change in human brain related to level of motivation. *Journal of Comparative and Physiological Psychology* 63 : 20—23, 1967.
- Requin J : Some data on neurophysiological processes involved in the preparatory motor activity to reaction time performance. *Acta Psychol* 30 : 358—367, 1969.
- Requin J, Bonnet M, Semjen A : Is there specificity in the supraspinal control of motor structures during preparation? In Donic S (ed) : *Attention and performance, VI*. Lawrence Erlbaum Associates, Hillsdale N J, p139—174, 1977.
- Rohrbaugh JW, Syndulko K, Lindsley, DB : Brain wave components of the contingent negative variation in human. *Science*. 191 : 1055—1057, 1976.
- Rohrbaugh JW, Syndulko K, Lindsley DB : Cortical slow negative waves following non-paired stimuli. *Electroencephalogr Clin Neurophysiol*

41 : 551—567, 1978.

Rohrbaugh JW, Gaillard AWK : Sensory and motor aspects of the contingent negative variation, In Gaillard A W K and Ritter (eds) : *Tutorials in Event Related Potential Research , Endogenous Components*. North-Holland, Amsterdam, p 269—310, 1983.

Rohrbaugh JW, Gaillard AWK : Sensory and motor aspects of the contingent negative variation, In Gaillard A W K and Ritter W (eds) : *Tutorials in Event Related Potential Research , Endogenous Components*. North-Holland, Amsterdam, pp 269—310, 1983.

Ruchikin D S, Sutton S, Mahaffey D, Glaser J : Terminal CNV in the absence of motor response. *Electroencephalogr Clin Neurophysiol*. 63 : 445—463, 1986.

Ruegg D G, Krauer R, Drews H : Superposition of H reflex on steady contractions in man. *J Physiol* 427 : 1—18, 1990.

Ruegg DG, Drews H : Influence of different properties of a reaction time task on the premovement gating of input from Ia afferents to motoneurons. *Exp Brain Res* 85 : 188—195, 1991.

Rudomin P, Jimenez I, Solodkin M, Duenas S : Sites of action of segmental and descending control of transmission on pathways mediating PAD of Ia- and Ib- afferent fibers in cat spinal cord. *J Neurophysiol* 50 : 743—769, 1983.

Rushton DN, Rothwell JC, Craggs MD : Gating of somatosensory evoked potentials during different kinds of movement in man. *Brain*, 104 : 465—491, 1981.

佐久間春夫 : 運動と脳波 (CNV) . *Japan J Sports Sci* 10-8 : 546—553, 1991.

Sasaki K, Gemba H, Hashimoto S : Premovement slow cortical potentials on

- self-paced hand movements and thalamocortical and corticocortical responses in the monkey. *Exp Neurol* 72 : 41—50, 1981.
- Sasaki K, Gemba H : Development and change of cortical field potentials during learning processes of visually initiated hand movements in the monkey. *Brain Res* 48 : 429—437, 1982.
- Sasaki K, Gemba H, Tsujimoto T : Cortical field potential association with hand movement on warning-imperative visual stimulus and cerebellum in the monkey. *Brain Res* 519 : 343—346, 1990.
- Schmidt RA, Stull GA : Premotor and motor reaction time as a function of preliminary muscular tension. *J Motor Behavior* 11 : 96—110, 1970.
- Schmidt RA : Motor learning and performance : from principles to practice. Human Kinetics Publishers, Champaign, 1991.
- Sherrington CS : The integrative action of the nervous system. Cambridge University Press, 1947. (Originally published : 1st ed. New York : C. Scribner, 1906)
- Shibasaki H, Barret G, Halliday E, Halliday AM : Components of the movement-related cortical potential and their scalp topography. *Electroencephalogr Clin Neurophysiol* 49 : 213—226, 1980.
- Sullivan SJ : Conditioned H-reflexes prior to movement. *Brain Res* 192 : 564—569, 1980.
- Staines WR, Brooke JD, Cheng J, Misiaszek JE, Mackay WA : Movement-induced gain modulation of somatosensory potentials and soleus H-reflexes evoked from the leg. I. Kinaesthetic task demands. *Exp Brain Res* 115 : 147—155, 1997a.
- Staines WR, Brooke JD, Misiaszek JE, McIlroy WE : Movement-induced gain modulation of somatosensory potentials and soleus H-reflexes

- evoked from the leg. II. Correlation with rate of stretch of extensor muscles of the leg. *Exp Brain Res* 115 : 156—164, 1997b.
- 高松 薫, 会田 宏, 関子浩二 : Isometric 及び eccentric な予備緊張が肘屈曲速度に及ぼす影響—Concentric な収縮中の負荷重量および動作範囲に着目して— : *体育学研究* 36 : 127—139, 1991.
- 田中勵作 : H 反射—ヒトにおける神経生理学的研究の一技法. *日本生理誌* 48 : 719—734, 1986.
- Tanji J, Evarts E V : Anticipatory activity of motor cortex neurons in relation to direction of an intended movement. *J Neurophysiol* 39 : 1062—1068, 1976.
- Tece JJ, Savignano-Bowman J, Meinbresse D : Contingent negative variation (CNV) and distraction arousal hypothesis . *Electroencephalogr Clin Neurophysiol* 41 : 277—286, 1976.
- Teichner WH : Recent studies of simple reaction time. *Psychol Bull* 51 : 128—149, 1954.
- Terada K, Ikeda A, Nagamine T, Shibasaki H : Movement-related cortical potentials associated with voluntary muscle relaxation . *Electroencephalogr Clin Neurophysiol* 95 : 335—345, 1995.
- Tsuji S, Murai Y : Scalp topography and distribution of cortical somatosensory evoked potentials to median nerve stimulation. *Electroencephalogr Clin Neurophysiol* 65 : 429—439, 1986.
- 時実利彦 : 脳と神経系. 岩波書店, 1976.
- 鷺見幸彦, 柳沢信夫 : 運動準備電位と運動様式に関する検討. *臨床脳波* 30 : 93—98, 1988.
- Walter WG, Cooper R, Aldridge VJ, Aldridge VJ, McCallum WC, and Winter AL : Contingent negative variation : an electrical sign of



- sensorimotor association and expectancy the human brain. *Nature*,  
203 : 380—384, 1964.
- Weerts TC, Lang PJ : The effects of eye fixation and stimulus and response  
location on the contingent negative variation (CNV). *Biological  
Psychology* 1 : 1—19, 1973.
- Weiss AD : The locus of reaction time change with set, motivation, and age.  
*J Gerontology* 20 : 60—64, 1965.
- Wilke JT, Lansing RW : Variations in the motor potential with force exerted  
during voluntary arm movements in man. *Electroenceph Clin  
Neurophysiol* 35 : 259—265, 1973.
- 矢部京之助 : 対側肢にみられる silent period の出現機構. *体育学研究*, 21 :  
11—17, 1976.
- 山本卓二, 斎藤泰彦, 遠藤四郎 : 空間的一時間的 Topography による CNV の  
研究. *脳波と筋電図* 14 : 103—114, 1986.